## **Profile/Photo Observation Report**



Date: **04/21/2018** Weather: Coding: **PACP 6.0** 

Pipe Length (ft):293.1Owner:NAPre Clean:No Pre-CleaningP.O.#:Surveyor:Byrd FitzgeraldPSR:P-505-064-063

Customer: Clean Date: 01/01/1900 Shape: C

Street: FOXCROFT STREET Flow Control: Not Controlled

City: Hobart, IN Year Renewed:
Location: Light Highway Tape/Media #:

Purpose: Routine Assessment Dia/Height: 12"
Use: Sanitary Material: VCP

Drain Area: NA Lining:

Category: NA
Comment: Flow direction wrong

Location Details: Direction of Survey: **Downstream** 

US MH: M-505-063 DS MH: M-505-064 Total Length Surveyed (ft): 288.7

1.81 **2G1A** 94.00 O&M Index: O&M Quick: O&M Rating: 3.02 178.00 Structural Quick: Structural Rating: Structural Index: 2.45 272.00 Overall Quick: Overall Rating: Overall Index:

Position	Code	Observation	Video (sec)	Grade
505-063				
0.	AMH	Manhole	10	NA
0. //	MWL	Water Level	21	NA
0.\\	CM(S01)	Crack Multiple	32	S 3
4.1	TF	Tap Factory	53	NA
32.1	TF	Tap Factory	124	NA
39.6	IS	Infil Stain	152	NA
57.4	TF	Tap Factory	199	NA
61.7	DAE	Deposits Attached Encrustation	219	M 2
72.1	RFJ	Roots Fine Joint	252	M 1
87.5	TF	Tap Factory	295	NA
93.5	FM	Fracture Multiple	319	S 4
101.7	TF	Tap Factory	347	NA
101.7	DAGS	Deposits Attached Grease	359	M 2
112.3	DAZ(S02)	Deposits Attached Other	392	M 2
131.9	TF	Tap Factory	443	NA
131.9	DAGS	Deposits Attached Grease	454	M 2
144.2	TF	Tap Factory	491	NA
144.2	DAGS	Deposits Attached Grease	502	M 2
176.9	TF	Tap Factory	580	NA
186.8	TF	Tap Factory	612	NA
186.8	DAGS	Deposits Attached Grease	624	M 2
220.8	TF	Tap Factory	704	NA
/235.0	TF	Tap Factory	746	NA
//243.1	RFJ(S03)	Roots Fine Joint	774	M 1
///261.9	TF	Tap Factory	823	NA
///261.9	DAGS	Deposits Attached Grease	834	M 2
///276.9	TF	Tap Factory	876	NA
276.9	DAGS	Deposits Attached Grease	888	M 2
287.8	DAZ(F02)	Deposits Attached Other	922	M 2
287.8	RFJ(F03)	Roots Fine Joint	934	M 1
/// 287.8	CM(F01)	Crack Multiple	945	S 3
288.7	AMH	Manhole	959	NA



Code: AMH
Description: Manhole

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0

Clock Start/From: Clock To:

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: M-505-063



Code: MWL

Description: Water Level

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: NO



Code: CM

Description: Crack Multiple

Distance (ft): .0
Structural Grade: 3
O&M Grade: 0
Clock Start/From: 9
Clock To: 3
1st Value:

1st Value: 2nd Value: Value Percent:

Continuous Index: **S01** Within 8" of Joint: **YES** 

Remarks: wandering



Code: **TF** 

Description: Tap Factory

Distance (ft): 4.1
Structural Grade: 0

O&M Grade: 0


Clock Start/From: 10

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES



Description: **Tap Factory** 

Distance (ft): 32.1 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 10

Clock To:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index:


Within 8" of Joint:

Remarks:

Code: IS

Description: **Infil Stain** 

YES



Distance (ft): 39.6 Structural Grade: 0

O&M Grade: 0 Clock Start/From: 9

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES



Description: **Tap Factory** 

Distance (ft): 57.4 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 1

Clock To:


1st Value: 4.000

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

YES

Remarks:



Code: DAE

Description: **Deposits Attached Encrustation** 


Distance (ft): 61.7 Structural Grade: 0 O&M Grade: 2 Clock Start/From: 8

Clock To: 1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 72.1
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 12

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **TF** 

Description: Tap Factory


Distance (ft): 87.5
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 11

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES



Code: FM

Description: Fracture Multiple

Distance (ft): 93.5
Structural Grade: 4
O&M Grade: 0
Clock Start/From: 8
Clock To: 2
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **TF** 

Description: **Tap Factory** 

Distance (ft): 101.7
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 1

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES



Code: DAGS

Description: Deposits Attached Grease

Distance (ft): 101.7
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 3
Clock To: 5
1st Value:

2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO




Code: DAZ

Description: Deposits Attached Other

Distance (ft): 112.3
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 7
Clock To: 5
1st Value:
2nd Value:

Value Percent: 5.000
Continuous Index: S02
Within 8" of Joint: YES



Description: **Tap Factory** 

Distance (ft): 131.9 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 11

Clock To:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index:


Within 8" of Joint:

Remarks:

Code: DAGS

Description: **Deposits Attached Grease** 

YES




Distance (ft): 131.9 Structural Grade: 0 O&M Grade: 2 Clock Start/From: 7 Clock To: 10

1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES



Description: **Tap Factory** 

Distance (ft): 144.2 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 1

Clock To:


1st Value: 4.000

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: DAGS


Description: **Deposits Attached Grease** 

Distance (ft): 144.2 Structural Grade: 0 O&M Grade: 2 Clock Start/From: 2 5 Clock To: 1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: NO



Description: Tap Factory

Distance (ft): 176.9
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 11

Clock To:


1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **TF** 

Description: Tap Factory


Distance (ft): 186.8
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 2

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES



Code: DAGS

Description: Deposits Attached Grease

Distance (ft): 186.8
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 2
Clock To: 5
1st Value:

2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **TF** 

Description: Tap Factory

Distance (ft): 220.8
Structural Grade: 0

O&M Grade: 0


Clock Start/From: 10

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES



Description: Tap Factory

Distance (ft): 235.0
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 2

Clock To:


1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES




Code: RFJ

Description: Roots Fine Joint

Distance (ft): 243.1
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 9
Clock To: 3
1st Value: 2nd Value: Value Percent:

Continuous Index: **S03** Within 8" of Joint: **YES** 

Remarks: wandering



Description: Tap Factory

Distance (ft): 261.9
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 11

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

Code: DAGS

Description: Deposits Attached Grease

YES




Distance (ft): 261.9
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 7
Clock To: 10

1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: NO



Description: **Tap Factory** 

Distance (ft): 276.9 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 1

Clock To:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index:


Within 8" of Joint:

Remarks:

Code: DAGS

Description: **Deposits Attached Grease** 

YES



Distance (ft): 276.9 Structural Grade: 0 O&M Grade: 2


Clock Start/From: 2 5 Clock To:

1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: NO



Code: DAZ

Description: Deposits Attached Other

Distance (ft): 287.8
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 7
Clock To: 5

1st Value: 2nd Value:

Value Percent: 5.000
Continuous Index: F02
Within 8" of Joint: YES

Remarks:

Code: RFJ

Description: Roots Fine Joint




Distance (ft): 287.8
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 9
Clock To: 3

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Ind

Continuous Index: F03
Within 8" of Joint: YES

Remarks: wandering



Code: CM

Description: Crack Multiple

Distance (ft): 287.8
Structural Grade: 3
O&M Grade: 0
Clock Start/From: 9
Clock To: 3

1st Value: 2nd Value: Value Percent:

Continuous Index: F01
Within 8" of Joint: YES

Remarks: wandering



Code: AMH
Description: Manhole

Distance (ft): 288.7
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: NO

Remarks: M-505-064