Profile/Photo Observation Report						
Date:	11/11/2021	Weather:			Coding:	PACP 7.0
Pipe Length (ft)	: <b>175.7</b>	Owner:	City of	Hobart	Pre Clean:	Heavy Cleaning
P.O.#:	YES502259	Surveyor:	Steven	Bucklin	PSR:	P-605-023-021
Customer:	City of Hobart, II	<b>N (Red</b> Clean Date	e: <b>11/10/</b> 2	2021	Shape:	С
Street:	Henry Street		Flow Con	trol:	Not Controlled	
City:	City of Hobart		Year Ren	ewed:		
Location:	Local rural stree	ts with light traffi	<b>c, t</b> Tape/Me	edia #:		
Purpose:	Routine Assessm	nent	Dia/Heig	ht:	12"	
Use:	Sanitary Sewage	Pipe	Material	:	VCP	
Drain Area:			Lining:		None	
Category:	NA					
Comment:						
Location Detail	s:		Direction	of Survey:	Downstream	
US MH:	M-605-021	DS MH:	M-605-023	3 -	Total Length Surveyed (ft)	: <b>175.7</b>
D&M Index:	2.07	O&M Quick	«:	3A2D	O&M Rating:	87.00
Structural Index:	2.44	Structural C	Quick:	4532	Structural Rating:	44.00
Overall Index:	2.18	Overall Qui	clu	453A	Overall Rating:	131.00

	Position	Code	Observation	Video (sec)	Grade
M-605-	021				
	0.	AMH	Manhole	1	NA
	.0	MWL	Miscellaneous Water Level	61	NA
- 11	.0	DSF(S01)	Deposits Settled Fine	70	M 2
- 11	3.6	SSS	Surface Damage Surface Spalling	112	S 2
- 11	3.7	FM	Fracture Multiple	159	S 4
- 11	24.3	FM	Fracture Multiple	281	S 4
	26.4	СМ	Crack Multiple	344	S 3
	41.1	CL	Crack Longitudinal	412	S 2
- 11	42.8	CC	Crack Circumferential	419	S 1
5	// 50.6	RFJ	Roots Fine Joint	464	M 1
Ę	// / 52.9	RFJ	Roots Fine Joint	497	M 1
	//56.9	FM	Fracture Multiple	529	S 4
Camera Direction	/// 59.8	CL	Crack Longitudinal	548	S 2
La Ca	///61.7	СС	Crack Circumferential	553	S 1
	_/// 70.9	FM	Fracture Multiple	591	S 4
	_//	TBI	Tap Break-in Intruding	619	M 2
† 🔳	73.5	RTJ	Roots Tap Joint	669	M 2
	// 76.4	TFD	Tap Factory Defective	705	M 3
	// 76.4	СС	Crack Circumferential	719	S 1

Wednesday, January 19, 2022

98.0	RMJ	Roots Medium Joint	869	MB
98.4	CC	Crack Circumferential	963	S 1
98.8	CL	Crack Longitudinal	968	S 2
99.6	RMJ	Roots Medium Joint	991	M
// 101.9	CL	Crack Longitudinal	1030	S 2
// 101.9	RMJ	Roots Medium Joint	1037	M
101.9	RFJ	Roots Fine Joint	1054	M :
103.4	DSF(F01)	Deposits Settled Fine	1081	M
105.8	SZ(S04)	Surface Damage Other	1105	NA
112.5	SZ(F04)	Surface Damage Other	1200	NA
117.1	TFD	Tap Factory Defective	1175	M
117.4	SSS	Surface Damage Surface Spalling	1200	S 2
117.8	TBD	Tap Break-in/Hammer Defective	1242	M
140.9	MWLS	Miscellaneous Water Level Sag	1350	S 2
145.6	FM	Fracture Multiple	1386	S 4
//147.3	DAE	Deposits Attached Encrustation	1405	M
/// 147.3	DAE	Deposits Attached Encrustation	1434	M
//// 147.4	RFJ	Roots Fine Joint	1446	M
153.5	СМ	Crack Multiple	1513	S 3
/ 153.5	RFJ	Roots Fine Joint	1529	M
156.5	TF	Tap Factory	1565	NA
157.5	RMJ(S03)	Roots Medium Joint	1622	M
168.0	RFJ	Roots Fine Joint	1705	M
/ 173.9	RFJ	Roots Fine Joint	1800	M
/ 175.2	RMJ(F03)	Roots Medium Joint	1835	M
// 175.7	AMH	Manhole	1917	NA




Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-605-021




Code: Description:	MWL Miscellaneous Water Level
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	




Code:	DSF
Description:	Deposits Settled Fine
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	5
Clock To: 1st Value: 2nd Value: Value Percent:	5.000
Continuous Index: Within 8" of Joint: Remarks:	S01 YES




Code: Description:	SSS Surface Damage Surface Spalling
Distance (ft):	3.6
Structural Grade:	2
O&M Grade:	0
Clock Start/From:	10
Clock To:	11
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




FM Fracture Multiple
3.7
4
0
8
3
YES



Code:	FM
Description:	Fracture Multiple
Distance (ft):	24.3
Structural Grade:	4
O&M Grade:	0
Clock Start/From:	10
Clock To:	1
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code: Description:	CM Crack Multiple
Distance (ft):	26.4
Structural Grade:	3
O&M Grade:	0
Clock Start/From:	9
Clock To:	3
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code: Description:	CL Crack Longitudinal
Description	eraek zongraamar
Distance (ft):	41.1
Distance (ft):	41.1
Structural Grade:	2
O&M Grade:	0
Clock Start/From:	4
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code: Description:	CC Crack Circumferential
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:	42.8 1 0 1 3
Within 8" of Joint: Remarks:	YES



Code:	RFJ
Description:	<b>Roots Fine Joint</b>
Distance (ft):	50.6
	-
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	10
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code: Description:	RFJ Roots Fine Joint
Distance (ft):	52.9
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	8
Clock To:	9
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	



Code:	FM
Description:	Fracture Multiple
Distance (ft):	56.9
Structural Grade:	4
O&M Grade:	0
Clock Start/From:	4
Clock To: 1st Value: 2nd Value:	5
Value Percent: Continuous Index: Within 8" of Joint: Remarks:	YES




Code: Description:	CL Crack Longitudinal
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:	59.8 2 0 3
Within 8" of Joint: Remarks:	YES




Code: Description:	CC Crack Circumferential
Distance (ft):	61.7
Structural Grade:	1
O&M Grade:	0
Clock Start/From:	9
Clock To:	12
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code: Description:	FM Fracture Multiple
Distance (ft): Structural Grade:	70.9 4
O&M Grade:	0
Clock Start/From:	12
Clock To:	2
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	



Code:	ТВІ
Description:	Tap Break-in Intruding
Distance (ft):	72.4
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	1
Clock To:	
1st Value:	4.000
2nd Value:	2.000
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code: Description:	RTJ Roots Tap Joint
Distance (ft):	73.5
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	10
Clock To:	1
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code: Description:	TFD Tap Factory Defective
Description.	
Distance (ft):	76.4
Structural Grade:	0
O&M Grade:	3
Clock Start/From:	1
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	Cracked




Code: Description:	CC Crack Circumferential
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	76.4 1 0 10 2 YES



Code: Description:	RMJ Roots Medium Joint
Distance (ft):	98.0
Structural Grade:	0
O&M Grade:	3
Clock Start/From:	7
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	50.000
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	



Code: Description:	CC Crack Circumferential
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	98.4 1 0 9 12 YES



Code:	CL
Description:	Crack Longitudinal
Distance (ft):	98.8
Structural Grade:	2
O&M Grade:	0
Clock Start/From:	4
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code: Description:	RMJ Roots Medium Joint
Distance (ft):	99.6
Structural Grade:	0
O&M Grade:	3
Clock Start/From:	1
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code: Description:	CL Crack Longitudinal
Distance (ft):	101.9
Structural Grade:	2
O&M Grade:	0
Clock Start/From:	8
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	RMJ Roots Medium Joint
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value:	101.9 0 3 9 10
Value Percent: Continuous Index: Within 8" of Joint: Remarks:	5.000 YES




Code:	RFJ
Description:	<b>Roots Fine Joint</b>
Distance (ft):	101.0
Distance (ft):	101.9
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	2
Clock To:	3
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code:	DSF
Description:	Deposits Settled Fine
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	103.4 0 2 5 7 5.000 F01 YES



Code:	SZ
Description:	Surface Damage Other
Distance (ft):	105.8
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	9
Clock To:	3
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	S04
Within 8" of Joint:	NO
Remarks:	Indentations. Factory defect.



Code: Description:	SZ Surface Damage Other
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	112.5 O O 9 3 FO4 NO Indentations. Factory defect.
	··· • • • • • • • • • • • • • • • • • •




Code:	TFD
Description:	<b>Tap Factory Defective</b>
Distance (ft):	117.1
Distance (ft):	117.1
Structural Grade:	0
O&M Grade:	3
Clock Start/From:	2
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	BROKEN. OFFSET.




Code: Description:	SSS Surface Damage Surface Spalling
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	117.4 2 0 9 11




TBD
Tap Break-in/Hammer Defective
117.8
0
3
10
4.000
YES
ROOTS GROWING FROM THE CONNECTION




Code: Description:	MWLS Miscellaneous Water Level Sag
Distance (ft):	140.9
Structural Grade:	2
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	




Code: Description:	FM Fracture Multiple
Distance (ft):	145.6
Structural Grade:	4
O&M Grade:	0
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code:	DAE
Description:	Deposits Attached Encrustation
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	147.3 0 2 9 10 5.000 YES




Code: Description:	DAE Deposits Attached Encrustation
Distance (ft):	147.3
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	1
Clock To:	3
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	




Code: Description:	RFJ Roots Fine Joint
Distance (ft):	147.4
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	3
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	



Code:	СМ
Description:	Crack Multiple
Distance (ft):	153.5
Structural Grade:	3
O&M Grade:	0
Clock Start/From:	7
Clock To:	5
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	



Code: Description:	RFJ Roots Fine Joint
Distance (ft):	153.5
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	9
Clock To:	2
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	



Code:	TF
Description:	Tap Factory
Distance (ft):	
Distance (ft):	156.5
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	1
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	ROOTS GROWING THROUGH THE JOINTS



Code:	RMJ
Description:	Roots Medium Joint
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	157.5 0 3 9 3 10.000 \$03 YES




Code:	RFJ
Description:	<b>Roots Fine Joint</b>
	460.0
Distance (ft):	168.0
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	10
Clock To:	11
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	



Code: Description:	RFJ Roots Fine Joint
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:	173.9 0 1 2 4
Within 8" of Joint: Remarks:	YES



Code:	RMJ
Description:	<b>Roots Medium Joint</b>
	475.0
Distance (ft):	175.2
Structural Grade:	0
O&M Grade:	3
Clock Start/From:	9
Clock To:	3
1st Value:	
2nd Value:	
Value Percent:	10.000
Continuous Index:	F03
Within 8" of Joint:	YES
Remarks:	



AMH Manhole
175.7
0
0
NO
M-605-023