Profile/Photo Observation Report



Date: 03/24/2018 Weather: **PACP 6.0** Coding: Pipe Length (ft): 200.6 Owner: NA Pre Clean: **Not Known** P.O.#: **Byrd Fitzgerald** PSR: P-902-042-041 Surveyor:

Customer: Clean Date: 01/01/1900 Shape: C

Street: e 34th st Flow Control: Not Controlled

City: Hobart, IN Year Renewed:
Location: Other Tape/Media #:

Purpose: Not Known Dia/Height: 10"
Use: Sanitary Material: VCP

Drain Area: NA Lining:

Category: NA
Comment:


Location Details: Direction of Survey:

US MH: M-902-042 DS MH: M-902-041 Total Length Surveyed (ft): 177.0

2.24 47.00 O&M Index: O&M Quick: O&M Rating: 2.67 3221 8.00 Structural Quick: Structural Rating: Structural Index: 2.29 55.00 Overall Index: Overall Quick: Overall Rating:

Downstream

	Position	Code	Observation	Video (sec)	Grade
902	042				
	0. /	AMH	Manhole	10	NA
	₹\\.0	MWL	Water Level	21	NA
ш	6.1	ТВ	Tap Break-in	46	NA
Н	√7.2	IS	Infil Stain	63	NA
Н	8.0	CL	Crack Longitudinal	78	S 2
Н	18.4	MWL	Water Level	112	NA
ш	18.4	FL(S01)	Fracture Longitudinal	123	S 3
	21.7	TF	Tap Factory	141	NA
ш	25.1	ТВ	Tap Break-in	160	NA
Н	25.1	DAE	Deposits Attached Encrustation	172	M 2
ш	27.7	FL(F01)	Fracture Longitudinal	190	S 3
Ш	27.7	RFJ	Roots Fine Joint	202	M 1
ш	30.2	DAE	Deposits Attached Encrustation	219	M 2
	39.1	IS(S03)	Infil Stain	248	NA
ш	39.1	MWL	Water Level	260	NA
ш	53.1	MCU(S04)	Camera Underwater	299	M 4
	65.9	MCU(F04)	Camera Underwater	336	M 4
ш	73.6	MWL	Water Level	363	NA
ш	91.1	TFD	Tap Factory Defective	410	M 2
П	93.1	MMC	Material Change	427	NA
ш	95.2	TFA	Tap Factory Active	444	NA
Ш	_\\\95.8	MMC	Material Change	459	NA
Ш	108.8	DAZ	Deposits Attached Other	498	M 2
ш	123.4	DAE	Deposits Attached Encrustation	541	M 2
ш	129.2	DAE(S05)	Deposits Attached Encrustation	566	M 2
ш	154.5	TBI	Tap Break-in Intruding	629	M 2
ш	166.1	TFD	Tap Factory Defective	665	M 2
П	168.6	TFD	Tap Factory Defective	683	M 2
	// 174.7	DAE(F05)	Deposits Attached Encrustation	708	M 2
		IS(F03)	Infil Stain	719	NA
	177.0	AMH	Manhole	735	NA



Code: AMH
Description: Manhole

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0

Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent:

Continuous Index: Within 8" of Joint:

Remarks: M-902-042

NO



Code: MWL
Description: Water Level

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: NO



Code: TB

Description: Tap Break-in

Distance (ft): 6.1 Structural Grade: 0 0 O&M Grade: Clock Start/From: 10

Clock To:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: IS

Description: **Infil Stain**


Distance (ft): 7.2 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 3 Clock To: 1st Value:

Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:

2nd Value:



Code: CL

Description: Crack Longitudinal

Distance (ft): 8.0
Structural Grade: 2
O&M Grade: 0
Clock Start/From: 9

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:
Within 8" of Joint:

Remarks:



Code: MWL

Description: Water Level

Distance (ft): 18.4
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: **50.000**

Continuous Index:

Within 8" of Joint: NO



Code: FL

Description: Fracture Longitudinal

Distance (ft): 18.4
Structural Grade: 3
O&M Grade: 0
Clock Start/From: 12


Clock To: 1st Value: 2nd Value: Value Percent:

Continuous Index: **S01**Within 8" of Joint: **YES**

Remarks:

Code: **TF**

Description: Tap Factory



Distance (ft): 21.7
Structural Grade: 0


O&M Grade: 0

Clock Start/From: 9

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Code: TB

Description: Tap Break-in

Distance (ft): 25.1 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 3

Clock To:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: DAE

Description: **Deposits Attached Encrustation**

Distance (ft): 25.1 Structural Grade: 0 O&M Grade: 2 Clock Start/From: 3 5 Clock To: 1st Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks:

2nd Value:



Code: FL

Description: Fracture Longitudinal

Distance (ft): 27.7
Structural Grade: 3
O&M Grade: 0
Clock Start/From: 12


Clock To: 1st Value: 2nd Value: Value Percent:

Continuous Index: F01
Within 8" of Joint: YES

Remarks:


Code: RFJ

Description: Roots Fine Joint



Distance (ft): 27.7
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 7
Clock To: 5
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: YES



Code: DAE

Description: Deposits Attached Encrustation

Distance (ft): 30.2
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 8
Clock To: 4
1st Value:

2nd Value:


Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

YES




Code: IS

Description: Infil Stain

Distance (ft): 39.1
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 8
Clock To: 4
1st Value:
2nd Value:
Value Percent:

Continuous Index: **S03** Within 8" of Joint: **YES**

Remarks: wandering



Code: MWL

Description: Water Level

Distance (ft): 39.1
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 25.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: MCU

Description: Camera Underwater

Distance (ft): 53.1
Structural Grade: 0

O&M Grade: 4


Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent:

Continuous Index: **S04**Within 8" of Joint: **NO**

Remarks:

...



Code: MCU

Description: Camera Underwater

Distance (ft): 65.9
Structural Grade: 0

O&M Grade: 4

Clock Start/From: Clock To: 1st Value: 2nd Value:

Value Percent:

Continuous Index: F04
Within 8" of Joint: NO

Remarks:

Code: MWL

Description: Water Level



Distance (ft): 73.6
Structural Grade: 0

O&M Grade: **0**Clock Start/From:

Clock To:

1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: NO



Code: **TFD**

Description: **Tap Factory Defective**

Distance (ft): 91.1 Structural Grade: 0 2 O&M Grade: Clock Start/From: 10

Clock To:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

YES

Remarks: partially blocked by debris



Code: MMC

Description: **Material Change**

Distance (ft): 93.1 Structural Grade: 0 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO PVC Remarks:



Code: TFA

Description: Tap Factory Active

4.000

Distance (ft): 95.2
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3

Clock To:


1st Value:

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:

Code: MMC

Description: Material Change



Distance (ft): 95.8 Structural Grade: 0

O&M Grade: **0**

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO Remarks: vcp



Code: DAZ

Description: Deposits Attached Other

Distance (ft): 108.8
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 2
Clock To: 5
1st Value:

2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: DAE

Description: Deposits Attached Encrustation


Distance (ft): 123.4
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 2
Clock To: 5
1st Value:

2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES



Code: DAE


Description: Deposits Attached Encrustation

Distance (ft): 129.2
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 7
Clock To: 5

1st Value: 2nd Value:

Value Percent: 5.000
Continuous Index: S05
Within 8" of Joint: YES

Remarks: wandering



Code: TBI

Description: Tap Break-in Intruding

Distance (ft): 154.5
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 2

Clock To:

1st Value: **4.000**2nd Value: **1.000**

Value Percent: Continuous Index: Within 8" of Joint:



Code: **TFD**

Description: **Tap Factory Defective**

Distance (ft): 166.1 Structural Grade: 0 2 O&M Grade: Clock Start/From: 10

Clock To:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

YES Remarks: partially blocked by deposits



TFD Code:

Description: **Tap Factory Defective**

Distance (ft): 168.6 Structural Grade: 0 O&M Grade: 2 Clock Start/From: 2

Clock To:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks: partially blocked



Code: DAE

Description: Deposits Attached Encrustation

Distance (ft): 174.7
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 7
Clock To: 5
1st Value:

2nd Value:

Value Percent: 5.000
Continuous Index: F05
Within 8" of Joint: YES

Remarks: wandering



Code: IS

Description: Infil Stain

Distance (ft): 174.7
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 8
Clock To: 4
1st Value:
2nd Value:

Continuous Index: F03
Within 8" of Joint: YES

Value Percent:

Remarks: wandering



Code: AMH
Description: Manhole

Distance (ft): 177.0
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: M-902-041