	pection Repor	•			ROBOTIC
Date:	10/05/2022	Weather:		Coding:	RZMACP
MH#:	M-203-024	Owner:	NA	Len. Surveyed:	5.4
P.O.#:		Surveyor:	Jen Costello	Rim to Invert:	6.4
Customer:		Cert. #:	U-907-5518	Wall Material:	Concrete (cast ir place)
Street:	Alley between Par	ker St. and Barnes	Project:	Hobart, IN	
City:	Hobart, IN		GPS Northing:	2295051.278	
Location:	Other		GPS Easting:	2893569.242	
Drain Area:	Northwest		GPS Accuracy:	Sub-Meter	
Cover Shape:	Circular		Evidence of Surcharge:	No	
Cover Size: Comments:	24.0		Potential for Runoff:	None	
O&M Index:	2.00	O&M Quick:	2200	O&M Rating:	4.00
Structural Index:	1.00	Structural Qui	ck: 1500	Structural Rating:	5.00
Overall Index:	1.29	Overall Quick		Overall Rating:	9.00



Code: Description:	MGO General Observation
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	access mh



Code:ISGTDescription:Intruding Sealing Grout

Distance (ft):	.0
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	8
Clock To:	9
1st Value:	
2nd Value:	
Value Percent:	5.000
Step:	NO
Remarks:	



Code: Description:	SRI Surface Roughness Increased
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent:	.0 1 0 12 12
Step: Remarks:	NO



MGO
General Observation
3.4
0
0
NO
underside of frame



Code:	DSF
Description:	<b>Deposits Settled Fine</b>
Distance (ft):	5.4
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	12
Clock To:	12
1st Value:	
2nd Value:	
Value Percent:	5.000
Step:	NO
Remarks:	



Code: Description:	MGO General Observation
Distance (ft):	5.4
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	end of survey



Code: Description:	SRI Surface Roughness Increased
Distance (ft):	5.4
Structural Grade:	1
O&M Grade:	0
Clock Start/From:	12
Clock To:	12
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	