

Date:	04/19/2018	Weather:		Coding:	RZMACP
MH#:	M-303-022	Owner:	NA	Len. Surveyed:	5.8
P.O.#:		Surveyor:	Jen Costello	Rim to Invert:	7.4
Customer:		Cert. #:	U-907-5518	Wall Material:	Concrete (reinforced)
Street:	Alley between 38th	n Pl. and 38th Ave	Project:	Hobart, IN	
City:	Hobart, IN		GPS Northing:	2895051.279	
Location:			GPS Easting:	2895051.279	
Drain Area:	Northwest		GPS Accuracy:	Sub-Meter	
Cover Shape:	Circular		Evidence of Surcharge:	No	
Cover Size: Comments:	23.0		Potential for Runoff:	None	
O&M Index:	2.00	O&M Quick:	2200	O&M Rating:	4.00
Structural Index:	0.00	Structural Qui	ck: 0000	Structural Rating:	0.00
Overall Index:	2.00	Overall Quick	2200	Overall Rating:	4.00

Position	Code	Observation	Video (sec)	Grade
-303-022				
.0	MGO	General Observation	10	NA
.8	MGO	General Observation	25	NA
4.2	DSF	Deposits Settled Fine	45	M 2
4.2	IW	Infil Weeper	56	M 2
5.8	MGO	General Observation	71	NA
,				



Code: Description:	MGO General Observation
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	ACCESS MH

\_\_\_\_



Code: Description:	MGO General Observation
Distance (ft):	.8
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	UNDERSIDE OF FRAME

DSF



000.01	
Description:	<b>Deposits Settled Fine</b>
·	•
Distance (ft):	4.2
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	6
Clock To:	12
1st Value:	
2nd Value:	
Value Percent:	5.000
Step:	NO
•	NO
Remarks:	

Code:



Code:	IW
Description:	Infil Weeper
Distance (ft):	4.2
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	1
Clock To:	3
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	



Code: Description: MGO General Observation

Distance (ft):	5.8
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	END SURVEY