## **Manhole Inspection Report**

Data	05/12/2010	Wooth are		Coding	
Date:	05/13/2018	Weather:		Coding:	RZMACP
MH#:	M-404-002.1	Owner:	NA	Len. Surveyed:	11.5
P.O.#:		Surveyor:	Jen Costello	Rim to Invert:	11.3
Customer:		Cert. #:	U-907-5518	Wall Material:	Brick
Street:	Intersection of Wabash St. and Clev		Project:	Hobart, IN	
City:	Hobart, IN		GPS Northing:	41.53645325	
Location:			GPS Easting:	-87.27945709	
Drain Area:	West		GPS Accuracy:	Nearest Meter	
Cover Shape:	Circular		Evidence of Surcharge:	Νο	
Cover Size:	22.5		Potential for Runoff:	None	
Comments:					
O&M Index:	2.00	O&M Quick:	2300	O&M Rating:	6.00
Structural Index:	5.00	Structural Qu	ick: 5100	Structural Rating:	5.00
Overall Index:	2.75	Overall Quick	· 5123	Overall Rating:	11.00

RedZone


	Position	Code	Observation	Video (sec)	Grade
04-002.1	L				
	.0	MGO	General Observation	10	NA
	.4	В	Broken	21	S 5
	1.6	MGO	General Observation	36	NA
	9.2	DSF	Deposits Settled Fine	64	M 2
	11.5	RFB	Roots Fine Barrel	81	M 2
	11.5	RFB	Roots Fine Barrel	93	M 2
	11.5	MGO	General Observation	104	NA



Code: Description:	MGO General Observation
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	ACCESS MH



Code:	В
Description:	Broken
Distance (ft):	.4
Structural Grade:	5
O&M Grade:	0
Clock Start/From:	8
Clock To:	12
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	



Code: Description:	MGO General Observation
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Step:	1.6 0 0
Remarks:	UNDERSIDE OF FRAME



Code: Description:	DSF Deposits Settled Fine
Distance (ft):	9.2
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	12
Clock To:	12
1st Value:	
2nd Value:	
Value Percent:	5.000
Step:	NO
Remarks:	



Code:	RFB
Description:	<b>Roots Fine Barrel</b>
Distance (ft):	11.5
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	9
Clock To:	11
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	



Code: Description:	RFB Roots Fine Barrel
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Step:	11.5 0 2 3
Remarks:	



Code: Description:	MGO General Observation
Distance (ft):	11.5
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	END SURVEY