Manhole Inspection Report



Date: 04/10/2018 Weather: Coding: RZMACP

MH#: M-503-035 Owner: NA Len. Surveyed: 7.6
P.O.#: Surveyor: John Kuglmaier Rim to Invert: 9.3

Customer: Cert. #: U-1215-07002349 Wall Material: Concrete

(reinforced)

Street: 164' East of Cavender St. 271' North Project: Hobart, IN

City: Hobart, IN GPS Northing: 0.0 Location: GPS Easting: 0.0

Drain Area: Northwest GPS Accuracy: Nearest Meter

Cover Shape: Circular Evidence of Surcharge: No
Cover Size: 23.0 Potential for Runoff: None


Comments:

O&M Index:	3.00	O&M Quick:	3100	O&M Rating:	3.00
Structural Index:	5.00	Structural Quick:	5100	Structural Rating:	5.00
Overall Index:	4.00	Overall Quick:	5131	Overall Rating:	8.00

Wednesday, May 3, 2023

Position	Code	Observation	Video (sec)	Grade
503-035				
.0	MGP	General Photo	10	NA
2.0	SRV	Surface Reinforcement Visible	26	S 5
2.3	MGP	General Photo	40	NA
3.9	IS	Infil Stain	57	NA
5.5	DSF	Deposits Settled Fine	71	M 3
6.5	MGO	General Observation	85	NA


Code:



Description:	General Photo
5: (6:)	
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	

MGP

Wednesday, May 3, 2023 2



Code: SRV


Description: Surface Reinforcement Visible

Distance (ft): 2.0
Structural Grade: 5
O&M Grade: 0
Clock Start/From: 2
Clock To: 4
1st Value:

2nd Value: Value Percent:

Step: NO

Remarks:



Code: MGP


Description: General Photo

Distance (ft): 2.3
Structural Grade: 0
O&M Grade: 0
Clock Start/From:
Clock To:
1st Value:
2nd Value:

Step: NO

Remarks:

Value Percent:



Code: IS

Description: Infil Stain

Distance (ft):

Structural Grade:

O&M Grade:

Clock Start/From:

Clock To:

12

1st Value:

2nd Value:

Value Percent:

Step: NO

Remarks:



Code: **DSF**

Description: Deposits Settled Fine

Distance (ft): 5.5
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 12
Clock To: 12

1st Value: 2nd Value:

Value Percent: **15.000**Step: **NO**

Remarks:



Code: MGO

Description: General Observation

Distance (ft): 6.5
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent:

Step: NO

Remarks: Ins. Comp.