Manhole Inspection Report



Date: 05/13/2018 Weather: Coding: RZMACP

 MH#:
 M-504-037
 Owner:
 NA
 Len. Surveyed:
 6.7

 P.O.#:
 Surveyor:
 Jen Costello
 Rim to Invert:
 7.8

 Customer:
 Cert. #:
 U-907-5518
 Wall Material:
 Brick

Street: South of Home Ave. and 52' East of Project: Hobart, IN
City: Hobart, IN GPS Northing: 41.5377464

City: Hobart, IN GPS Northing: 41.53774643
Location: GPS Easting: -87.27586365

Drain Area: West GPS Accuracy: Nearest Meter

Cover Shape: Circular Evidence of Surcharge: No
Cover Size: Potential for Runoff: None

Comments:

O&M Index:	4.00	O&M Quick:	5131	O&M Rating:	8.00
Structural Index:	3.14	Structural Quick:	4136	Structural Rating:	22.00
Overall Index:	3.33	Overall Quick:	5141	Overall Rating:	30.00

Wednesday, May 3, 2023

.0				
	MGO	General Observation	10	NA
.4	SAV	Surface Aggregate Visible	22	S 3
1.6	MGO	General Observation	38	NA
/2.8	FM	Fracture Multiple	53	S 4
5.3	DSF	Deposits Settled Fine	70	M 3
6.2	RBB	Roots Ball Barrel	83	M 5
6.7	SAV	Surface Aggregate Visible	96	S 3
6.7	MGO	General Observation	107	NA



Code: MGO **General Observation** Description:

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent:

Step: NO

Remarks: **ACCESS MH**



Code: SAV

Description: Surface Aggregate Visible

Distance (ft): .4
Structural Grade: 3
O&M Grade: 0
Clock Start/From: 12
Clock To: 12
1st Value:

2nd Value: Value Percent:

Step: NO

Remarks:



Code: MGO

Description: General Observation

Distance (ft): 1.6
Structural Grade: 0
O&M Grade: 0
Clock Start/From:
Clock To:

1st Value: 2nd Value: Value Percent:

Step: NO

Remarks: UNDERSIDE OF FRAME



Code: FM

Description: Fracture Multiple

Distance (ft): 2.8
Structural Grade: 4

O&M Grade: 0

Clock Start/From: 9

Clock To: 11

1st Value: 2nd Value: Value Percent:

Step: NO

Remarks:

Wednesday, May 3, 2023 3



Code: **DSF**

Description: Deposits Settled Fine

Distance (ft): 5.3
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 9
Clock To: 12

1st Value: 2nd Value:

Value Percent: 15.000 Step: NO

Remarks:



Code: RBB

Description: Roots Ball Barrel

Distance (ft): 6.2
Structural Grade: 0
O&M Grade: 5
Clock Start/From: 3
Clock To: 9
1st Value:

Value Percent: **80.000** Step: **NO**

Remarks:

2nd Value:



Code: SAV

Description: Surface Aggregate Visible

Distance (ft): 6.7
Structural Grade: 3
O&M Grade: 0
Clock Start/From: 12
Clock To: 12
1st Value:
2nd Value:
Value Percent:

Step: NO

Remarks:

Wednesday, May 3, 2023 4



Code: MGO

Description: General Observation

Distance (ft): 6.7
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent:

Step: NO

Remarks: END SURVEY