Manhole Inspection Report

Date:	05/13/2018	Weather:		Coding:	RZMACP
MH#:	M-505-060	Owner:	ΝΔ	•	
	101-202-000		NA	Len. Surveyed:	
P.O.#:		Surveyor:	Jen Costello	Rim to Invert:	11.5
Customer:		Cert. #:	U-907-5518	Wall Material:	Brick
Street:	2nd St. 172' East o	f 2nd St. Ct.	Project:	Hobart, IN	
City:	Hobart, IN		GPS Northing:	41.53462982	
Location:			GPS Easting:	-87.27610016	
Drain Area:	West		GPS Accuracy:	Nearest Meter	
Cover Shape:	Circular		Evidence of Surcharge:	No	
Cover Size:	22.5		Potential for Runoff:	None	
Comments:					
O&M Index:	2.00	O&M Quick:	2200	O&M Rating:	4.00
Structural Index:	3.00	Structural Qui	ck: 3100	Structural Rating:	3.00
Overall Index:	2.33	Overall Quick:	3122	Overall Rating:	7.00

RedZone

F	Position	Code	Observation	Video (sec)	Grade
505-060					
	ט	MGO	General Observation	10	NA
. // .)	DB	Displaced Brick	21	S 3
\.)	DAE	Deposits Attached Encrustation	32	M 2
	0.0	DSGV	Deposits Settled Gravel	63	M 2
1	0.3	MGO	General Observation	75	NA



Code: Description:	MGO General Observation
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	access MH



Code: DB Description: **Displaced Brick** Distance (ft): .0 Structural Grade: 3 O&M Grade: 0 Clock Start/From: 4 Clock To: 5 1st Value: 2nd Value: Value Percent: Step: NO

Remarks:

Remarks:



Code:	DAE
Description:	Deposits Attached Encrustation
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	12
Clock To:	12
1st Value:	
2nd Value:	
Value Percent:	5.000
Step:	NO



Code: Description:	DSGV Deposits Settled Gravel
Distance (ft):	10.0
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	12
Clock To:	12
1st Value:	
2nd Value:	
Value Percent:	5.000
Step:	NO
Remarks:	



Code: Description: MGO General Observation

Distance (ft):	10.3
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	END SURVEY