## Manhole Inspection Report

Date:	04/29/2018	Weather:		Coding:	RZMACP
MH#:	M-604-067	Owner:	NA	Len. Surveyed:	7.0
P.O.#:		Surveyor:	Jen Costello	Rim to Invert:	7.4
Customer:		Cert. #:	U-907-5518	Wall Material:	Brick
Street:	Intersection of Ho	me Ave. and Penn	Project:	Hobart, IN	
City:	Hobart, IN	(	GPS Northing:	2902467.311	
Location:		(	GPS Easting:	2902467.311	
Drain Area:	West	(	GPS Accuracy:	Sub-Meter	
Cover Shape:	Circular	E	Evidence of Surcharge:	No	
Cover Size:	24.0	F	Potential for Runoff:	None	
Comments:					
O&M Index:	2.00	O&M Quick:	2100	O&M Rating:	2.00
Structural Index:	3.00	Structural Quid	ck: <b>3100</b>	Structural Rating:	3.00
Overall Index:	2.50	Overall Quick:	3121	Overall Rating:	5.00

RedZone

Position	Code	Observation	Video (sec)	Grade
M-604-067				
.0	MGP	General Photo	10	NA
.0	DB	Displaced Brick	22	S 3
1.4	MGO	General Observation	38	NA
6.0	DSGV	Deposits Settled Gravel	61	M 2
7.0	MGO	General Observation	75	NA
Camera Direction				




MGP	
<b>General Photo</b>	
.0	
0	
0	
NO	
ACCESS MH	

\_\_\_\_



Code: DB Description: **Displaced Brick** Distance (ft): .0 Structural Grade: 3 O&M Grade: 0 Clock Start/From: 9 3 Clock To: 1st Value: 2nd Value: Value Percent: Step: NO Remarks:



Code:	MGO
Description:	General Observation
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent:	1.4 0 0
Step:	NO
Remarks:	UNDERSIDE OF FRAME



Code: Description:	DSGV Deposits Settled Gravel	
Distance (ft):	6.0	
Structural Grade:	0	
O&M Grade:	2	
Clock Start/From:	10	
Clock To:	2	
1st Value:		
2nd Value:		
Value Percent:	5.000	
Step:	NO	
Remarks:		



Code:MGODescription:General Observation

Distance (ft):	7.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	END SURVEY