
Date:	04/10/2018	Weather:		Coding:	RZMACP
MH#:	M-709-011	Owner:	NA	Len. Surveyed:	13.4
P.O.#:		Surveyor:	John Kuglmaier	Rim to Invert:	13.8
Customer:		Cert. #:	U-1215-07002349	Wall Material:	Concrete (reinforced)
Street:	Dunlin Circle. 75' E	ast of Waxwing Ci	Project:	Hobart, IN	
City:	Hobart, IN GI		GPS Northing:	2906830.171	
Location:		(GPS Easting:	2906830.171	
Drain Area:	Southwest	(GPS Accuracy:	Sub-Meter	
Cover Shape:	Circular	E	Evidence of Surcharge:	No	
Cover Size: Comments:	22.5	F	Potential for Runoff:	None	
O&M Index:	2.00	O&M Quick:	2100	O&M Rating:	2.00
Structural Index:	0.00	Structural Quic	ck: 0000	Structural Rating:	0.00
Overall Index:	2.00	Overall Quick:	2100	Overall Rating:	2.00

PUSI	tion Code	Observation	Video (sec)	Grade
-709-011				
.0	MGP	General Photo	10	NA
2.0	IS	Infil Stain	26	NA
/2.7	MGP	General Photo	41	NA
/ 10.6	DAZ	Deposits Attached Other	70	M 2
10.6	IS	Infil Stain	82	NA
11.4	MGO	General Observation	95	NA
,				



Code:	MGP
Description:	General Photo
Distance (ft):	.0
Distance (it).	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	



IS
Infil Stain
2.0
0
0
6
NO



Code: Description:	MGP General Photo
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Step:	2.7 0 0
Remarks:	



Code: Description:	DAZ Deposits Attached Other
Distance (ft):	10.6
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	12
Clock To:	12
1st Value:	
2nd Value:	
Value Percent:	10.000
Step:	NO
Remarks:	Mixed materials



Code:	IS
Description:	Infil Stain
Distance (ft):	10.6

Distance (It):	10.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	4
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	

Code:



Description:	General Observation
Distance (ft):	11.4
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Step:	NO
Remarks:	Ins. Comp.

MGO