Profile/Photo Observation Report



P-1004-096-055

Date: 04/12/2018 Weather: **PACP 6.0** Coding: Pipe Length (ft): 124.6 Owner: NA Pre Clean: **Not Known** P.O.#:

Jen Costello

PSR:

Customer: Clean Date: 01/01/1900 Shape:

Flow Control: Juniper Ct. **Not Controlled** Street:

Surveyor:

City: Hobart, IN Year Renewed: Other Tape/Media #: Location:

Purpose: **Not Known** Dia/Height: 8" **PVC** Use: Sanitary Material:

NA Drain Area: Lining:

NA Category:

Comment:

Location Details: Direction of Survey: Upstream US MH: M-1004-096 Total Length Surveyed (ft): M-1004-055 DS MH: 120.3

0000 0.00 0.00 O&M Rating: O&M Index: O&M Quick: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index:

0.00 0000 0.00 Overall Rating: Overall Index: Overall Quick:

M-1004-096 .0 AMH Manhole 10 NA .0 MWL Water Level 21 NA 1.1 TF Tap Factory 35 NA 3.7 TF Tap Factory 54 NA 4.9 TF Tap Factory 71 NA 29.8 TF Tap Factory 135 NA 31.1 TF Tap Factory 149 NA 120.3 AMH Manhole 338 NA	Position	Code	Observation	Video (sec)	Grade
.0 AMH Manhole 10 NA .0 MWL Water Level 21 NA 1.1 TF Tap Factory 35 NA 3.7 TF Tap Factory 54 NA 4.9 TF Tap Factory 71 NA 29.8 TF Tap Factory 135 NA 31.1 TF Tap Factory 149 NA 120.3 AMH Manhole 338 NA	1-1004-096				
1.1 TF Tap Factory 35 NA 3.7 TF Tap Factory 54 NA 4.9 TF Tap Factory 71 NA 29.8 TF Tap Factory 135 NA 31.1 TF Tap Factory 149 NA 120.3 AMH Manhole 338 NA	\ /.	AMH	Manhole	10	NA
3.7 TF Tap Factory 54 NA	.0	MWL	Water Level	21	NA
4.9 TF Tap Factory 71 NA 29.8 TF Tap Factory 135 NA 31.1 TF Tap Factory 149 NA 120.3 AMH Manhole 338 NA	1.1	TF	Tap Factory	35	NA
29.8 TF Tap Factory 135 NA 31.1 TF Tap Factory 149 NA 120.3 AMH Manhole 338 NA	3.7	TF	Tap Factory	54	NA
31.1 TF Tap Factory 149 NA 120.3 AMH Manhole 338 NA	4.9	TF	Tap Factory	71	NA
120.3 AMH Manhole 338 NA	29.8	TF	Tap Factory	135	NA
	31.1	TF	Tap Factory	149	NA
	120.3	AMH	Manhole	338	NA

Code:



Description:	Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-1004-096

 AMH



Code: MWL Description: **Water Level**

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From:

Clock To:

1st Value: 2nd Value:

Value Percent:

Continuous Index:

Within 8" of Joint:

5.000

NO

4.000

Remarks:

Code: TF

Description: **Tap Factory**

Distance (ft): 1.1 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 2

Clock To: 1st Value:

2nd Value:

Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: **TF**

Description: Tap Factory

Distance (ft): 3.7
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 2

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: **TF**

Description: Tap Factory

Distance (ft): 4.9
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 10

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:

Tuesday, December 8, 2020



Code: **TF**

Description: Tap Factory

Distance (ft): 29.8
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 11

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: **TF**

Description: Tap Factory

Distance (ft): 31.1
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 2

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: AMH
Description: Manhole

Distance (ft): 120.3
Structural Grade: 0
O&M Grade: 0

Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: M-1004-055