
| Profile/Ph | oto Observation | Report | | | RedZon |
|------------------|-------------------|---------------|--------------------|----------------------------|----------------|
| Date: | 09/29/2018 | Weather: | | Coding: | PACP 6.0 |
| Pipe Length (ft |): 190.6 | Owner: | NA | Pre Clean: | Not Known |
| P.O.#: | | Surveyor: | Selasie Honu | PSR: | P-303-064-068 |
| Customer: | | Clean Date: | 01/01/1900 | Shape: | С |
| Street: | Old Ridge Rd. | | Flow Control: | Not Controlled | |
| City: | Hobart, IN | | Year Renewed: | | |
| Location: | Light Highway | | Tape/Media #: | | |
| Purpose: | Routine Assessmen | t | Dia/Height: | 10" | |
| Use: | Sanitary | | Material: | PVC | |
| Drain Area: | NA | | Lining: | | |
| Category: | NA | | | | |
| Comment: | | | | | |
| Location Detail | ls: | | Direction of Surve | ey: Downstream | |
| US MH: | M-303-068 | DS MH: | M-303-064 | Total Length Surveyed (ft) | : 191.1 |
| 0&M Index: | 0.00 | O&M Quick: | 0000 | O&M Rating: | 0.00 |
| tructural Index: | 0.00 | Structural Qu | ick: 0000 | | 0.00 |
| Overall Index: | 0.00 | Overall Quick | | Overall Rating: | 0.00 |





| Code: Description: | AMH Manhole |
|-----------------------|----------------|
| Distance (ft): | .0 |
| Structural Grade: | 0 |
| O&M Grade: | 0 |
| Clock Start/From: | |
| Clock To: | |
| 1st Value: | |
| 2nd Value: | |
| Value Percent: | |
| Continuous Index: | |
| Within 8" of Joint: | NO |
| Remarks: | M-303-068 |



Code: MWL Description: Water Level

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: 5.000 Continuous Index: Within 8" of Joint: NO Remarks:

Code:



| Description: | Manhole |
|---------------------|-----------|
| Distance (ft): | 191.1 |
| Structural Grade: | 0 |
| O&M Grade: | 0 |
| Clock Start/From: | |
| Clock To: | |
| 1st Value: | |
| 2nd Value: | |
| Value Percent: | |
| Continuous Index: | |
| Within 8" of Joint: | NO |
| Remarks: | M-303-064 |
| | |

AMH