Profile/Ph	oto Observatio	n Report				RedZone
Date:	04/24/2018	Weather:			Coding:	PACP 6.0
Pipe Length (ft	:): 178.8	Owner:	NA		Pre Clean:	No Pre-Cleaning
P.O.#:		Surveyor:	Jen Costello)	PSR:	P-305-055-054
Customer:		Clean Date	: 01/01/1900	1	Shape:	С
Street:	ALLEY BETWEEN	WOODLAND LN 8	& Flow Control:		Not Controlled	
City:	Hobart, IN		Year Renewe	d:		
Location:	Yard		Tape/Media #	# :		
Purpose:	Routine Assessme	ent	Dia/Height:		10"	
Use:	Sanitary		Material:		PVC	
Drain Area:	NA		Lining:			
Category:	NA					
Comment:	Flow direction wr	ong				
Location Detai	ls:		Direction of S	urvey:	Upstream	
US MH:	M-305-054	DS MH:	M-305-055	To	tal Length Surveyed (ft)	: 193.0
O&M Index:	0.00	O&M Quick	: (0000	O&M Rating:	0.00
Structural Index:	0.00	Structural Q	uick:	0000	Structural Rating:	0.00
Overall Index:	0.00	Overall Quid	ck: (0000	Overall Rating:	0.00

	Position	Code	Observation	Video (sec)	Grad
/(305-)055					
	0	AMH	Manhole	10	NA
$+-\sqrt{\frac{1}{2}}$	0	MWL	Water Level	21	NA
	9.4	TF	Tap Factory	53	NA
7	76.7	TF	Tap Factory	201	NA
ſ	93.3	TF	Tap Factory	247	NA
	L30.1	TFA	Tap Factory Active	333	NA
	L48.5	TF	Tap Factory	382	NA
	L93.0	AMH	Manhole	484	NA



Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-305-055

_



Code: MWL Description: Water Level


Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	TF Tap Factory
Distance (ft):	9.4
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	2
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	TF
Description:	Tap Factory
Distance (ft):	76.7
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	3
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	




Code: Description:	TF Tap Factory
Distance (ft): Structural Grade:	93.3 0
O&M Grade:	0
Clock Start/From:	10
Clock To: 1st Value:	4.000
2nd Value:	4.000
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:TFADescription:Tap Factory Active

Distance (ft):	130.1
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	9
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code: Description:	TF Tap Factory
Distance (ft):	148.5
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	3
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	AMH
Description:	Manhole

Distance (ft):	193.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-305-054