Profile/Ph	oto Observation	Report				RedZon
Date: Pipe Length (ft	03/21/2018): 335.8	Weather: Owner:	NA		Coding: Pre Clean:	PACP 6.0 No Pre-Cleaning
P.O.#: Customer:		Surveyor: Clean Date:	Selasie Honu 01/01/1900		PSR: Shape:	P-308-018-016 C
Street:	FOXCROFT STREET		Flow Control:		Not Controlled	
City:	Hobart, IN		Year Renewed:			
Location:	Light Highway		Tape/Media #:			
Purpose:	Routine Assessmen	t	Dia/Height:		8"	
Use:	Sanitary		Material:		PVC	
Drain Area:	NA		Lining:			
Category:	NA					
Comment:						
Location Detail	s:		Direction of Su	rvey:	Downstream	
US MH:	M-308-018	DS MH:	M-308-016	Total Len	gth Surveyed (ft):	340.6
0&M Index:	0.00	O&M Quick:	00	0 00 O	&M Rating:	0.00
Structural Index:	0.00		iick: 00	100 St	tructural Rating:	0.00
Overall Index:	0.00	Overall Quick		00 0	verall Rating:	0.00

	Position	Code	Observation	Video (sec)	Grade
N(308)	018				
\mathbf{H}	0. //	AMH	Manhole	10	NA
	.0	MWL	Water Level	21	NA
	94.2	TF	Tap Factory	222	NA
	108.6	TF	Tap Factory	264	NA
	//189.5	TF	Tap Factory	440	NA
	// 203.3	TF	Tap Factory	481	NA
	// 284.8	TF	Tap Factory	657	NA
	340.6	AMH	Manhole	781	NA
	1 11				
Camera Direction					




Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-308-018




Code: MWL Description: Water Level

Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	TF Tap Factory
Distance (ft):	94.2
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	9
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	TF
Description:	Tap Factory

Distance (ft):	108.6
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	3
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	




Code: Description:	TF Tap Factory
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:	189.5 0 0 9 4.000
Within 8" of Joint: Remarks:	




Code:	TF
Description:	Tap Factory

Distance (ft):	203.3
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	3
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	TF
Description:	Tap Factory
	204.0
Distance (ft):	284.8
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	9
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:AMHDescription:Manhole

Distance (ft):	340.6
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-308-016