
Date:	04/16/2018	Weather:	City of U	La ut	Coding:	PACP 6.0
Pipe Length (ft) P.O.#:	): 58-1	Owner:	City of Ho M. Pielac		Pre Clean: PSR:	No Pre-Cleaning M-404-001-M-504-028
Customer:	City of Hobart	Surveyor: Clean Date:		na	Shape:	C
Street:	<b>Cleveland Avenue</b>		Flow Contro	ol:	Not Controlled	
City:	Hobart, IN		Year Renev	ved:		
Location:	Light Highway		Tape/Medi	a #:	DEP 58	
Purpose:	Routine Assessment		Dia/Height	:	18"	
Use:	Sanitary		Material:		VCP	
Drain Area:			Lining:			
Category:	NA					
Comment:						
Location Detail	s:		Direction o	f Survey:	Upstream	
US MH:	M-404-001	DS MH:	M-504-028		Total Length Surveyed (ft)	46.5
)&M Index:	3.00	O&M Quick:		3200	O&M Rating:	6.00
tructural Index:	0.00	 Structural Qu	uick:	0000	Structural Rating:	0.00
Overall Index:	3.00	 Overall Quic		3200	Overall Rating:	6.00






Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-504-028


Thursday, May 4, 2023



Code:	MWL
Description:	Water Level
Distance (ft):	.0
Structural Grade:	0
	•
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	15.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code:	DSF
Description:	Deposits Settled Fine
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	37.3 0 3 5 7 20.000 S01 YES



Code:	DSF
Description:	<b>Deposits Settled Fine</b>
Distance (ft):	45.9
Structural Grade:	0
O&M Grade:	3
Clock Start/From:	5
Clock To:	7
1st Value:	
2nd Value:	
Value Percent:	20.000
Continuous Index:	F01
Within 8" of Joint:	NO
Remarks:	



Code: Description:	MSA Abandoned Survey
Distance (ft):	46.2
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	sediment