Profile/Ph	oto Observation	Report			RedZone
Date: Pipe Length (ft) P.O.#: Customer:	04/19/2018 : 310.5	Weather: Owner: Surveyor: Clean Date:	NA Justin Gonzales 01/01/1900	Coding: Pre Clean: PSR: Shape:	PACP 6.0 No Pre-Cleaning P-405-031-026 C
Street:	FOXCROFT STREET		Flow Control:	Not Controlled	
City:	Hobart, IN		Year Renewed:		
Location:	Yard		Tape/Media #:		
Purpose:	Routine Assessment	:	Dia/Height:	10"	
Use:	Sanitary		Material:	PVC	
Drain Area:	NA		Lining:		
Category:	NA				
Comment:					
Location Detail	s:		Direction of Surve	ey: Downstream	
US MH:	M-405-031	DS MH:	M-405-026	Total Length Surveyed (ft)	: 302.6
0&M Index:	4.00	O&M Quick:	4100	O&M Rating:	4.00
Structural Index:	1.00	 Structural Qui	ick: 1100	Structural Rating:	1.00
Overall Index:	2.50	Overall Quick:	4111	Overall Rating:	5.00

	Position	Code	Observation	Video (sec)	Grade
M(40	5-031				
	.0	JOM	Joint Offset Medium	10	S 1
	.0	AMH	Manhole	22	NA
	0./\	MWL	Water Level	33	NA
	25.1	MWL	Water Level	94	NA
	38.1	TF	Tap Factory	132	NA
	86.4	TF	Tap Factory	240	NA
	149.4	TF	Tap Factory	378	NA
	201.1	TF	Tap Factory	494	NA
	261.1	TF	Tap Factory	626	NA
5	262.7	TF	Tap Factory	642	NA
ecti	293.9	MWL	Water Level	717	NA
Camera Direction	297.9	MCU	Camera Underwater	736	M 4
nera	302.6	AMH	Manhole	757	NA
M (40	95-026				



Code: Description:	JOM Joint Offset Medium
Distance (ft):	.0
Structural Grade:	1
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:


Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: NO Remarks: M-405-031

AMH

Manhole



MWL Water Level
.0
0
0
10.000
NO



MWL Water Level
25.1
0
0

1st Value:	
2nd Value:	
Value Percent:	20.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	TF Tap Factory
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent:	38.1 0 0 1 4.000
Continuous Index: Within 8" of Joint: Remarks:	



Code:	TF
Description:	Tap Factory

Distance (ft):	86.4
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	1
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code: Description:	TF Tap Factory
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value:	149.4 0 0 9 4.000
2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	4.000




Code:	TF
Description:	Tap Factory
Distance (ft):	201.1
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	1
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	

Remarks:



Code: Description:	TF Tap Factory
Distance (ft):	261.1
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	1
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	TF
Description:	Tap Factory

Distance (ft):	262.7
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	9
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	MWL
Description:	Water Level
Distance (ft):	293.9
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	20.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description: MCU Camera Underwater

Distance (ft):	297.9
Structural Grade:	0
O&M Grade:	4
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code:	AMH
Description:	Manhole

Distance (ft)	202 6
Distance (ft):	302.6
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-405-026