## **Profile/Photo Observation Report**



Date: 04/13/2018 Weather: Coding: PACP 6.0

Pipe Length (ft): 319.0 Owner: NA Pre Clean: Not Known

P.O.#: Surveyor: Jen Costello PSR: P-503-077-076

01/01/1900

Shape:

Street: ALLEY BETWEEN W 38TH AVE & W 3 Flow Control: Not Controlled

City: Hobart, IN Year Renewed:

Clean Date:

Location: Other Tape/Media #:

Purpose: Not Known Dia/Height: 10"
Use: Sanitary Material: VCP

Drain Area: NA Lining:

Category: NA

Customer:

Comment:

Location Details: Direction of Survey: Downstream

US MH: M-503-076 DS MH: M-503-077 Total Length Surveyed (ft): 122.0

5131 2.08 50.00 O&M Index: O&M Quick: O&M Rating: 3100 3.00 3.00 Structural Index: Structural Quick: Structural Rating: 2.12 5132 53.00 Overall Index: Overall Quick: Overall Rating:

AMH MWL DAE IW DAE IW DAGS TFA DAGS IW FL TFD	Manhole Water Level Deposits Attached Encrustation Infil Weeper Deposits Attached Encrustation Infil Weeper Deposits Attached Grease Tap Factory Active Deposits Attached Grease Infil Weeper Fracture Longitudinal	10 21 33 45 78 89 121 138 151 163	NA NA M 2 M 2 M 2 M 2 M 2 M 2 M 2 M 2 NA M 2 NA
MWL DAE IW DAE IW DAGS TFA DAGS IW FL TFD	Water Level Deposits Attached Encrustation Infil Weeper Deposits Attached Encrustation Infil Weeper Deposits Attached Grease Tap Factory Active Deposits Attached Grease Infil Weeper Fracture Longitudinal	21 33 45 78 89 121 138 151 163	M 2 M 2 M 2 M 2 M 2 M 2 M 2 M 2
DAE IW DAE IW DAGS TFA DAGS IW FL	Deposits Attached Encrustation Infil Weeper Deposits Attached Encrustation Infil Weeper Deposits Attached Grease Tap Factory Active Deposits Attached Grease Infil Weeper Fracture Longitudinal	33 45 78 89 121 138 151 163	M 2 M 2 M 2 M 2 M 2 M 2 NA
IW DAE IW DAGS TFA DAGS IW FL TFD	Infil Weeper Deposits Attached Encrustation Infil Weeper Deposits Attached Grease Tap Factory Active Deposits Attached Grease Infil Weeper Fracture Longitudinal	45 78 89 121 138 151 163	M 2 M 2 M 2 M 2 M 2 NA
DAE IW DAGS TFA DAGS IW FL TFD	Deposits Attached Encrustation Infil Weeper Deposits Attached Grease Tap Factory Active Deposits Attached Grease Infil Weeper Fracture Longitudinal	78 89 121 138 151 163	M 2 M 2 M 2 NA M 2
IW DAGS TFA DAGS IW FL TFD	Infil Weeper Deposits Attached Grease Tap Factory Active Deposits Attached Grease Infil Weeper Fracture Longitudinal	89 121 138 151 163	M 2 M 2 NA M 2
DAGS TFA DAGS IW FL TFD	Deposits Attached Grease  Tap Factory Active  Deposits Attached Grease  Infil Weeper  Fracture Longitudinal	121 138 151 163	M 2 NA M 2
TFA DAGS IW FL TFD	Tap Factory Active Deposits Attached Grease Infil Weeper Fracture Longitudinal	138 151 163	NA M 2
DAGS IW FL TFD	Deposits Attached Grease Infil Weeper Fracture Longitudinal	151 163	M 2
IW FL TFD	Infil Weeper Fracture Longitudinal	163	
FL TFD	Fracture Longitudinal		M 2
TFD		222	
		208	S 3
	Tap Factory Defective	228	M 2
RFL	Roots Fine Lateral	239	M 1
IW	Infil Weeper	254	M 2
IW	Infil Weeper	295	M 2
TF	Tap Factory	329	NA
IW(S01)	Infil Weeper	343	M 2
RFJ	Roots Fine Joint	443	M 1
RMJ	Roots Medium Joint	465	M 3
RBB	Roots Ball Barrel	477	M 5
MSA	Abandoned Survey	491	NA
IW(F01)	Infil Weeper	502	M 2
	RFJ RMJ RBB MSA	RFJ Roots Fine Joint  RMJ Roots Medium Joint  RBB Roots Ball Barrel  MSA Abandoned Survey	RFJ Roots Fine Joint 443  RMJ Roots Medium Joint 465  RBB Roots Ball Barrel 477  MSA Abandoned Survey 491

Code:

Description:



Diatana (ft)	0
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-503-076

AMH

Manhole



Code: MWL

Description: **Water Level** 

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent:


Continuous Index:

Within 8" of Joint:

Remarks:

5.000

NO



Code: DAE

Description: **Deposits Attached Encrustation** 

Distance (ft): .0 Structural Grade: 0 O&M Grade: 2 Clock Start/From: 8 Clock To: 4 1st Value:


Value Percent: 10.000

Continuous Index:

Within 8" of Joint: YES

Remarks:

2nd Value:



Description: Infil Weeper

Distance (ft): .5
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 8
Clock To: 4
1st Value:
2nd Value:
Value Percent:

Continuous Index: Within 8" of Joint:

WILLIAM OF J

YES

Remarks:



Code: DAE


Description: Deposits Attached Encrustation

Distance (ft): 11.1
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 8
Clock To: 4
1st Value:
2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES



Description: Infil Weeper


Distance (ft): 11.1
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 8
Clock To: 4

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: DAGS

Description: Deposits Attached Grease


Distance (ft): 21.0
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 7
Clock To: 9
1st Value:

2nd Value: Value Percent:

/alue Percent: 10.000

Continuous Index:

Within 8" of Joint: YES



Code: TFA

Description: Tap Factory Active

Distance (ft): 22.7
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3


Clock To:

1st Value:

4.000

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: DAGS

Description: Deposits Attached Grease

Distance (ft): 22.7
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 7


Clock To: 10

1st Value: 2nd Value:

Value Percent: 10.000

Continuous Index:

Within 8" of Joint: NO



Description: Infil Weeper

Distance (ft): 23.2
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 8
Clock To: 4

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: FL

Description: Fracture Longitudinal

Distance (ft): 39.8
Structural Grade: 3
O&M Grade: 0
Clock Start/From: 9

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:
Within 8" of Joint:



Code: **TFD** 

Description: Tap Factory Defective

Distance (ft): 43.8
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 11

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks: rfl



Code: RFL

Description: Roots Fine Lateral

Distance (ft): 43.8
Structural Grade: 0


O&M Grade: 1

Clock Start/From: 11

Clock To:

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO



Description: Infil Weeper

Distance (ft): 45.1
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 9


Clock To: 11

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: IW

Description: Infil Weeper

Distance (ft): 59.7
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 1

Clock To: 4

1st Value:

2nd Value:

Value Percent:

Continuous Index:

Within 8" of Joint: Remarks:

YES



Code: **TF** 

Description: Tap Factory


Distance (ft): 70.5
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:




Code: IW

Description: Infil Weeper

Distance (ft): 71.5
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 9
Clock To: 3
1st Value:
2nd Value:
Value Percent:
Continuous Index: 501

YES

Within 8" of Joint:



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 115.5
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 1

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: RMJ

Description: Roots Medium Joint

Distance (ft): 120.7
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 8
Clock To: 4
1st Value:


Value Percent: 10.000

Continuous Index:

Within 8" of Joint: YES

Remarks:

2nd Value:



Code: RBB

Description: Roots Ball Barrel

Distance (ft): 121.0
Structural Grade: 0
O&M Grade: 5
Clock Start/From: 12
Clock To: 12

1st Value: 2nd Value:

Value Percent: 70.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: MSA


Description: Abandoned Survey

Distance (ft): 122.0
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO Remarks: rbb



Description: Infil Weeper

Distance (ft): 122.0
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 9
Clock To: 3
1st Value:

1st Value: 2nd Value: Value Percent:

Continuous Index: F01
Within 8" of Joint: YES