


Profile/Ph	oto Observatio	n Report			RedZon
Date:	04/25/2018	Weather:		Coding:	PACP 6.0
Pipe Length (ft): 162.3	Owner:	NA	Pre Clean:	No Pre-Cleaning
P.O.#:		Surveyor:	Jen Costello	PSR:	P-504-041-034
Customer:		Clean Date:	01/01/1900	Shape:	С
Street:	W CLEVELAND AVE & N CAVENDER S		S Flow Control:	Not Controlle	d
City:	Hobart, IN		Year Renewed:		
Location:	Light Highway		Tape/Media #:		
Purpose:	Routine Assessme	ent	Dia/Height:	10"	
Use:	Sanitary		Material:	VCP	
Drain Area:	NA		Lining:		
Category:	NA				
Comment:	R_M at 7 ft debris	and roots			
Location Detai	ls:		Direction of Surv	vey: Upstream	
US MH:	M-504-034	DS MH:	M-504-041	Total Length Surveyed (f	t): 8.1
D&M Index:	1.00	O&M Quick:	110	00 O&M Rating:	1.00
Structural Index:	0.00	Structural Q	uick: 000	00 Structural Rating	. 0.00
Overall Index:	1.00	Overall Quic	k: 110	00 Overall Rating:	1.00






Code: Description:	AMH Manhole
Distance (ft):	0
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-504-041



Code: MWL Description: Water Level

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: 5.000 Continuous Index: Within 8" of Joint: NO Remarks:



Code: Description:	RFJ Roots Fine Joint
Distance (ft):	.8
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	S01
Within 8" of Joint:	YES
Remarks:	

Thursday, November 16, 2023



Code:MSADescription:Abandoned Survey

Distance (ft):	8.1
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	OVERTURNED

RFJ

Roots Fine Joint



Distance (ft):	8.1			
Structural Grade:	0			
O&M Grade:	1			
Clock Start/From:	8			
Clock To:	4			
1st Value:				
2nd Value:				
Value Percent:				
Continuous Index:	F01			
Within 8" of Joint:	YES			
Remarks:				

Code:

Description: