Profile/Photo Observation Report



Date: 10/31/2021 Weather: **PACP 7.0** Coding: Pipe Length (ft): 210.2 Owner: **City of Hobart** Pre Clean: **Heavy Cleaning** P.O.#: S. Bucklin PSR: P-504-036-035 YES502259 Surveyor:

Customer: City of Hobart Clean Date: 10/27/2021 Shape: C

Street: North Colorado Street Flow Control: Not Controlled

City: Hobart, IN Year Renewed: Location: Alley Tape/Media #:

Purpose:Routine AssessmentDia/Height:10"Use:Sanitary Sewage PipeMaterial:VCPDrain Area:Lining:None

Category: NA

Comment:

Location Details: Direction of Survey: **Downstream**

US MH: M-504-035 DS MH: M-504-036 Total Length Surveyed (ft): 210.2


1.73 362B 64.00 O&M Index: O&M Quick: O&M Rating: 2.67 5546 112.00 Structural Quick: Structural Rating: Structural Index: 2.23 5546 176.00 Overall Quick: Overall Rating: Overall Index:

	Position	Code	Observation	Video (sec)	Grade
M(504-	035				
	0.	AMH	Manhole	1	NA
-	0.	MWL	Miscellaneous Water Level	72	NA
	2.7	RMJ	Roots Medium Joint	143	M 3
	3.8	TFC	Tap Factory Capped	179	NA
	3.8	OBM	Obstruction Pipe Material in Invert	200	M 2
	4.0	DSGV	Deposits Settled Gravel	230	M 2
	5.2	RMJ	Roots Medium Joint	263	M 3
- 11	6.2	TFD	Tap Factory Defective	301	M 3
	6.7	BVV	Broken Void Visible	360	S 5
5	7.0	TBI	Tap Break-in Intruding	380	M 2
Camera Direction	7.7	RMJ	Roots Medium Joint	434	M 3
<u>a</u>	7.7	ISJ	Infiltration Stain Joint	463	M 1
ž –	7.7	ISJ	Infiltration Stain Joint	485	M 1
ž 💮	10.6	RFJ	Roots Fine Joint	532	M 1
ш	13.2	RFJ	Roots Fine Joint	562	M 1
ш	15.8	RFJ	Roots Fine Joint	647	M 1
1	18.2	RFJ	Roots Fine Joint	695	M 1
	23.2	MWLS(S01)	Miscellaneous Water Level Sag	729	S 2
	23.9	SSS	Surface Damage Surface Spalling	747	S 2

	31.4	FM	Fracture Multiple	823	S 4
	31.6	TBA	Tap Break-in Activity	853	NA
	33.8	RFJ	Roots Fine Joint	906	M 1
	33.8	SMW	Surface Damage Missing Wall	947	S 5
	35.7	MWLS(F01)	Miscellaneous Water Level Sag	981	S 2
	37.2	TFC	Tap Factory Capped	1002	NA
	39.8	TFC	Tap Factory Capped	1040	NA
	46.6	RFJ	Roots Fine Joint	1117	M 1
ш	47.1	SMW	Surface Damage Missing Wall	1178	S 5
	47.5	TBI	Tap Break-in Intruding	1208	M 2
	47.5	RFC	Roots Fine Connection	1230	M 1
	49.3	RFJ	Roots Fine Joint	1258	M 1
	51.7	RFJ	Roots Fine Joint	1299	M 1
	54.6	MWLS(S02)	Miscellaneous Water Level Sag	1326	S 2
ш	59.4	RFJ	Roots Fine Joint	1365	M 1
ш	59.4	DAR	Deposits Attached Ragging	1378	M 2
ш	62.1	RFJ	Roots Fine Joint	1409	M 1
	70.8	SSS	Surface Damage Surface Spalling	1492	S 2
	70.9	IDC	Infiltration Dripper Connection	1507	M 3
	71.1	TBI	Tap Break-in Intruding	1528	M 2
	78.4	TFC	Tap Factory Capped	1586	NA
	80.0	SSS	Surface Damage Surface Spalling	1618	S 2
	80.2	SSS	Surface Damage Surface Spalling	1643	S 2
l I V	80.2	FM	Fracture Multiple	1661	S 4
	81.0	TFC	Tap Factory Capped	1689	NA
	82.8	FL	Fracture Longitudinal	1744	S 3
	86.3	SSS	Surface Damage Surface Spalling	1800	S 2
	86.7	В	Broken	1835	S 4
ш	86.8	ТВІ	Tap Break-in Intruding	1851	M 2
	87.3	MWLS(F02)	Miscellaneous Water Level Sag	1871	S 2
ш	89.2	MWLS(S03)	Miscellaneous Water Level Sag	1896	S 2
ш	97.8	ОВМ	Obstruction Pipe Material in Invert	1968	M 2
ш	103.4	OBZ	Obstruction Other	2030	M 2
ш	108.4	BSV	Broken Soil Visible	2127	S 5
	109.1	ТВІ	Tap Break-in Intruding	2143	M 2
ш	110.5	OBZ	Obstruction Other	2175	M 2
	114.0	SSS	Surface Damage Surface Spalling	2219	S 2
	117.1	TFC	Tap Factory Capped	2250	NA
	118.9	FM	Fracture Multiple	2315	S 4
	118.9	MWLS(F03)	Miscellaneous Water Level Sag	2336	S 2
	124.5	SSS	Surface Damage Surface Spalling	2407	S 2
	125.1	TBI	Tap Break-in Intruding		

144.7	В	Broken	2587	S 4
144.7	ISB	Infiltration Stain Barrel	2611	M 1
145.5	SMW	Surface Damage Missing Wall	2631	S 5
146.0	ISB	Infiltration Stain Barrel	2659	M 1
146.0	SSS	Surface Damage Surface Spalling	2664	S 2
146.6	TBI	Tap Break-in Intruding	2689	M 2
157.6	FM	Fracture Multiple	2774	S 4
158.5	TFC	Tap Factory Capped	2797	NA
161.0	TFD	Tap Factory Defective	2832	M 3
161.5	SSS	Surface Damage Surface Spalling	2883	S 2
161.8	ТВІ	Tap Break-in Intruding	2910	M 2
170.6	RFJ	Roots Fine Joint	2987	M 1
170.6	DAE	Deposits Attached Encrustation	3023	M 2
178.7	MWLS(S04)	Miscellaneous Water Level Sag	3087	S 2
205.6	MWLS(F04)	Miscellaneous Water Level Sag	3293	S 2
210.2	AMH	Manhole	3449	NA

M(504)036




Code: AMH
Description: Manhole

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0
Clock Start/From:
Clock To:

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: M-504-035



Code: MWL

Description: Miscellaneous Water Level

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:


Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: RMJ

Description: Roots Medium Joint

Distance (ft): 2.7
Structural Grade: 0

O&M Grade: 3

Clock Start/From: 11

Clock To: 2

1st Value:

2nd Value:


Value Percent: 40.000

Continuous Index:

Within 8" of Joint: YES

Remarks:

arke



Code: TFC

Description: Tap Factory Capped

Distance (ft): 3.8
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 1

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS GROWING AROND THE CAP



Code: OBM

Description: Obstruction Pipe Material in Invert

Distance (ft): 3.8
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 6
Clock To:

1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: **DSGV**

Description: Deposits Settled Gravel

Distance (ft): 4.0
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 5
Clock To: 7

1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: RMJ

Description: Roots Medium Joint

Distance (ft): 5.2
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 9
Clock To: 3
1st Value:


Value Percent: 50.000

Continuous Index:

Within 8" of Joint: YES

Remarks:

2nd Value:



Code: **TFD**

Description: Tap Factory Defective

Distance (ft): 6.2
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 11

Clock To:


1st Value: **4.000**

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks: CAPPED. ROOTS GROWING AROUND

THE CAP AND INTO THE MAIN



Code: **BVV**


Description: Broken Void Visible

Distance (ft): 6.7
Structural Grade: 5

O&M Grade: 0
Clock Start/From: 11
Clock To: 1
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: TBI

Description: Tap Break-in Intruding

Distance (ft): 7.0
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 1

Clock To:

 1st Value:
 4.000


 2nd Value:
 1.000

Value Percent:

Continuous Index:

Within 8" of Joint: YES

Remarks: CONSTANTLY RUNNING WATER.
ROOTS GROWING OUT OF IT



Code: RMJ

Description: Roots Medium Joint

Distance (ft): 7.7
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 10
Clock To: 2
1st Value:


2nd Value:

Value Percent: 10.000

 $Continuous\ Index:$

Within 8" of Joint: YES

Remarks:



Code: ISJ
Description: Infiltration Stain Joint

Distance (ft): 7.7 Structural Grade: 0 O&M Grade: 1 Clock Start/From: 12 Clock To: 2 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: YES

Remarks:

10/31/21 7.74 ft

Code: ISJ

Description: Infiltration Stain Joint

YES

Distance (ft): 7.7

Structural Grade: 0

O&M Grade: 1

Clock Start/From: 9


Clock To: 10

1st Value: 2

2nd Value: Value Percent: Continuous Index:

Remarks:

Within 8" of Joint:



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 10.6
Structural Grade: 0

O&M Grade: 1


Clock Start/From: 10

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 13.2
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 9
Clock To: 1
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Remarks:

Within 8" of Joint: YES



Code: RFJ


Description: **Roots Fine Joint**

Distance (ft): 15.8 Structural Grade: 0 O&M Grade: 1 Clock Start/From: 10 Clock To: 3

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:



Code: RFJ


Description: **Roots Fine Joint**

YES

Distance (ft): 18.2 Structural Grade: 0 O&M Grade: 1 Clock Start/From: 4 Clock To: 8 1st Value: 2nd Value: Value Percent: Continuous Index: YES

Within 8" of Joint:

Remarks:



Code: **MWLS**

Description: **Miscellaneous Water Level Sag**

Distance (ft): 23.2 Structural Grade: 2 0 O&M Grade:

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 10.000 Continuous Index: **S01** Within 8" of Joint: NO

Remarks:



SSS Code:


Description: **Surface Damage Surface Spalling**

Distance (ft): 23.9 Structural Grade: 2 O&M Grade: 0 Clock Start/From: 8 Clock To: 1st Value: 2nd Value:

Continuous Index: Within 8" of Joint: YES

Remarks:

Value Percent:



Code: **FM**

Description: Fracture Multiple

Distance (ft): 31.4
Structural Grade: 4

O&M Grade: 0

Clock Start/From: 10

Clock To: 4


1st Value:

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: TBA

Description: Tap Break-in Activity

Distance (ft): 31.6
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 11

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: RFJ

Description: Roots Fine Joint


Distance (ft): 33.8
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 4
Clock To: 5

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: SMW


Description: Surface Damage Missing Wall

Distance (ft): 33.8
Structural Grade: 5
O&M Grade: 0
Clock Start/From: 8
Clock To: 10
1st Value:
2nd Value:

Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks: INSIDE OF THE JOINT



Code: **MWLS**

Description: **Miscellaneous Water Level Sag**


Distance (ft): 35.7 Structural Grade: 2 0 O&M Grade:

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 10.000 Continuous Index: F01 Within 8" of Joint: NO

Remarks:



TFC Code:

Description: **Tap Factory Capped**

37.2 Distance (ft): Structural Grade: 0 O&M Grade: 0 Clock Start/From: 11


Clock To:

1st Value: 4.000 2nd Value:

Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: **TFC**

Description: Tap Factory Capped

Distance (ft): 39.8
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 1

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES




Code: RFJ

Description: Roots Fine Joint

Distance (ft): 46.6
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 2
Clock To: 10
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: SMW

Description: Surface Damage Missing Wall


Distance (ft): 47.1
Structural Grade: 5
O&M Grade: 0
Clock Start/From: 11
Clock To: 2

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: TBI

Description: Tap Break-in Intruding

Distance (ft): 47.5
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 1

Clock To:

 1st Value:
 4.000

 2nd Value:
 1.000

Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks: CONSTANTLY RUNNING WATER.



Code: RFC

Description: Roots Fine Connection


Distance (ft): 47.5
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 1
Clock To: 2

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 49.3
Structural Grade: 0

O&M Grade: 1

Clock Start/From: 11

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: RFJ

Description: **Roots Fine Joint**

Distance (ft): 51.7 Structural Grade: 0 O&M Grade: 1 Clock Start/From: 10 Clock To: 2

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



MWLS Code:

Description: **Miscellaneous Water Level Sag**

Distance (ft): 54.6 Structural Grade: 2 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

10.000 Value Percent: Continuous Index: **S02** Within 8" of Joint: NO

Remarks:



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 59.4
Structural Grade: 0

O&M Grade: 1

Clock Start/From: 8

Clock To: 1st Value: 2nd Value: Value Percent:

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: DAR

Description: Deposits Attached Ragging

Distance (ft): 59.4
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 7

Clock To: 1st Value: 2nd Value:


Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 62.1
Structural Grade: 0

O&M Grade: 1


Clock Start/From: 2

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint:

Remarks:

YES




Code: SSS

Description: Surface Damage Surface Spalling

Distance (ft): 70.8
Structural Grade: 2
O&M Grade: 0
Clock Start/From: 11
Clock To: 2
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: IDC

Description: Infiltration Dripper Connection


Distance (ft): 70.9
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 1

Clock Start/From:
Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: TBI

Description: Tap Break-in Intruding

Distance (ft): 71.1
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 11

Clock To:


 1st Value:
 4.000

 2nd Value:
 1.000

Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks: CONSTANTLY RUNNING WATER.



Code: TFC

Description: Tap Factory Capped

Distance (ft): 78.4
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 11

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: SSS


Description: Surface Damage Surface Spalling

Distance (ft): 80.0
Structural Grade: 2
O&M Grade: 0
Clock Start/From: 3
Clock To:
1st Value:

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: SSS

Description: Surface Damage Surface Spalling

Distance (ft): 80.2
Structural Grade: 2
O&M Grade: 0
Clock Start/From: 9

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: FM

Description: Fracture Multiple

Distance (ft): 80.2
Structural Grade: 4


O&M Grade: 0
Clock Start/From: 8

Clock To: 4

1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: TFC

Description: **Tap Factory Capped**

Distance (ft): 81.0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 1

Clock To:


1st Value: 4.000

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: FL


Description: **Fracture Longitudinal**

Distance (ft): 82.8 Structural Grade: 3 O&M Grade: 0 Clock Start/From: 12 Clock To:

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: SSS

Description: Surface Damage Surface Spalling


Distance (ft): 86.3
Structural Grade: 2
O&M Grade: 0
Clock Start/From: 1
Clock To: 3

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **B**

Description: Broken

Distance (ft): 86.7
Structural Grade: 4

O&M Grade: 0

Clock Start/From: 11

Clock To: 3


1st Value:

2nd Value:

Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: TBI

Description: **Tap Break-in Intruding**

Distance (ft): 86.8 Structural Grade: 0 2 O&M Grade: Clock Start/From: 1

Clock To:

1st Value: 4.000 2nd Value: 1.000

Value Percent:

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **MWLS**

Description: **Miscellaneous Water Level Sag**

87.3 Distance (ft): Structural Grade: 2 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 10.000 Continuous Index: F02 Within 8" of Joint: NO

Remarks:



Code: MWLS

Description: Miscellaneous Water Level Sag

Distance (ft): 89.2
Structural Grade: 2
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 10.000
Continuous Index: S03
Within 8" of Joint: NO

Remarks:



Code: OBM

Description: Obstruction Pipe Material in Invert

Distance (ft): 97.8
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 5
Clock To: 7
1st Value:
2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: OBZ

Description: Obstruction Other

Distance (ft): 103.4
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 5
Clock To: 7


1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS THAT HAVE BEEN CUT OUT



Code: BSV

Description: Broken Soil Visible

Distance (ft): 108.4
Structural Grade: 5

O&M Grade: 0

Clock Start/From: 9


Clock To: 4

1st Value: 2

2nd Value: Value Percent: Continuous Index: YES

Remarks:

... 0 0. 30.....



Code: **TBI**

Description: Tap Break-in Intruding

Distance (ft): 109.1
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 12

Clock To:

 1st Value:
 4.000

 2nd Value:
 1.000

Value Percent:

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: OBZ

Description: Obstruction Other

Distance (ft): 110.5
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 6
Clock To: 8
1st Value:

2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS WE CUT OUT



Code: SSS

Description: **Surface Damage Surface Spalling**


Distance (ft): 114.0 Structural Grade: 2 O&M Grade: 0 Clock Start/From: 1

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



TFC Code:

Description: **Tap Factory Capped**

Distance (ft): 117.1 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 11


Clock To:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: FΜ

Description: **Fracture Multiple**

Distance (ft): 118.9 Structural Grade: 4 0 O&M Grade:

Clock Start/From: 10 Clock To: 2

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **MWLS**

Description: **Miscellaneous Water Level Sag**


Distance (ft): 118.9 Structural Grade: 2 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

10.000 Value Percent: Continuous Index: F03 Within 8" of Joint: NO

Remarks:



Code: SSS

Description: **Surface Damage Surface Spalling**

Distance (ft): 124.5 Structural Grade: 2 O&M Grade: 0 Clock Start/From: 11


Clock To: 2 1st Value:

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



TBI Code:

Description: **Tap Break-in Intruding**

Distance (ft): 125.1 Structural Grade: 0 O&M Grade: 2 Clock Start/From: 1


Clock To:

1st Value: 4.000 2nd Value: 3.000

Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: B
Description: Broken

Distance (ft): 144.7
Structural Grade: 4


O&M Grade: 0
Clock Start/From: 8

Clock To: 4

1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: ISB

Description: Infiltration Stain Barrel

YES

Distance (ft): 144.7
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 8
Clock To: 10
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Remarks:

Within 8" of Joint:



Code: SMW

Description: Surface Damage Missing Wall


Distance (ft): 145.5
Structural Grade: 5
O&M Grade: 0
Clock Start/From: 11

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: ISB

Description: Infiltration Stain Barrel


Distance (ft): 146.0
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 8
Clock To: 4
1st Value: 2nd Value: Value Percent:

Within 8" of Joint: YES

Continuous Index:

Remarks:

rks:



Code: SSS

Description: Surface Damage Surface Spalling

Distance (ft): 146.0
Structural Grade: 2
O&M Grade: 0
Clock Start/From: 11


Clock To: 1
1st Value:
2nd Value:

Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: TBI

Description: Tap Break-in Intruding

Distance (ft): 146.6
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 12

Clock To:

 1st Value:
 4.000

 2nd Value:
 2.000

Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks: CONSTANTLY RUNNING WATER.



Code: **FM**

Description: Fracture Multiple

Distance (ft): 157.6
Structural Grade: 4
O&M Grade: 0
Clock Start/From: 10
Clock To: 4


Clock To:
1st Value:
2nd Value:
Value Percent:

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: TFC

Description: Tap Factory Capped

Distance (ft): 158.5
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 1


Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: **TFD**

Description: Tap Factory Defective

Distance (ft): 161.0
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 11

Clock To:


1st Value: **4.000**

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks: A PIECE CHIPPED OUT TAP CRACKED.

ROOTS GROWING AROUND THE CAP



Code: SSS

Description: Surface Damage Surface Spalling

Distance (ft): 161.5
Structural Grade: 2
O&M Grade: 0
Clock Start/From: 12
Clock To: 2
1st Value:
2nd Value:
Value Percent:

Within 8" of Joint: YES

Remarks:

Continuous Index:



Code: TBI

Description: Tap Break-in Intruding

Distance (ft): 161.8
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 1

Clock To:

 1st Value:
 4.000

 2nd Value:
 1.000

Value Percent:

Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS GROWING IN THE TAP




Code: RFJ

Description: Roots Fine Joint

Distance (ft): 170.6
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 6
Clock To: 7
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: DAE

Description: **Deposits Attached Encrustation**

Distance (ft): 170.6 Structural Grade: 0 2 O&M Grade: Clock Start/From: 1 Clock To: 3

1st Value:

2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **MWLS**

Description: **Miscellaneous Water Level Sag**


Distance (ft): 178.7 Structural Grade: 2 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 10.000 Continuous Index: **S04** Within 8" of Joint: NO

Remarks:



Code: MWLS

Description: Miscellaneous Water Level Sag


Distance (ft): 205.6
Structural Grade: 2
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 10.000
Continuous Index: F04
Within 8" of Joint: NO

Remarks:



Code: AMH
Description: Manhole

Distance (ft): 210.2
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: NO

Remarks: M-504-036