Profile/Ph	oto Observatio	n Report				RedZone
Date:	04/20/2018	Weather:			Coding:	PACP 6.0
Pipe Length (ft): 201.1	Owner:	NA		Pre Clean:	Not Known
P.O.#:		Surveyor:	Justin Go	nzales	PSR:	P-504-081-080
Customer:		Clean Date	e: 01/01/1 9	000	Shape:	С
Street:	ALLEY BETWEEN		Flow Conti	ol:	Not Controlled	
City:	Hobart, IN		Year Renev	wed:		
Location:	Light Highway		Tape/Med	ia #:		
Purpose:	Not Known		Dia/Height		12"	
Use:	Sanitary		Material:		VCP	
Drain Area:	NA		Lining:			
Category:	NA					
Comment:						
Location Detai	ls:		Direction of	of Survey:	Downstream	
US MH:	M-504-080	DS MH:	M-504-081	Т	otal Length Surveyed (ft)	280.2
0&M Index:	0.00	O&M Quicl	<:	0000	O&M Rating:	0.00
Structural Index:	0.00	Structural (Quick:	0000	Structural Rating:	0.00
Overall Index:	0.00	Overall Qui	ck:	0000	Overall Rating:	0.00

	Position	Code	Observation	Video (sec)	Grade
A(504)	080				
\mathbf{Y}	0.	AMH	Manhole	10	NA
	.0	MWL	Water Level	21	NA
	$\left\{ \left \frac{2.1}{2.1} \right \right\}$	MGO	General Observation	37	NA
	21.5	TF	Tap Factory	88	NA
	59.7	TF	Tap Factory	176	NA
	61.9	TF	Tap Factory	193	NA
	92.1	TFA	Tap Factory Active	265	NA
	107.3	TF	Tap Factory	307	NA
	138.1	TF	Tap Factory	381	NA
	/ 155.9	TF	Tap Factory	429	NA
	//211.0	TF	Tap Factory	551	NA
	///213.4	TF	Tap Factory	567	NA
	238.2	TF	Tap Factory	629	NA
	259.7	TF	Tap Factory	684	NA
	280.2	MSA	Abandoned Survey	736	NA
-	/ ///				



Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-504-080

M(504)081




Code: MWL Description: Water Level


Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: 10.000 Continuous Index: Within 8" of Joint: NO Remarks:




Code: Description:	MGO General Observation
Distance (ft):	2.1
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	FRONT LENS SMUDGED



Code:	TF
Description:	Tap Factory
Distance (ft):	21.5
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	2
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	TF
Description:	Tap Factory
Distance (ft):	59.7
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	1
Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	4.000



Code:	TF
Description:	Tap Factory
Distance (ft):	61.9
()	-
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	10
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	

Within 8" of Joint:

Remarks:



Code:	TFA
Description:	Tap Factory Active
Distance (ft):	92.1
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	9
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	TF
Description:	Tap Factory
Distance (ft):	107.3
Structural Grade:	0
00110	•


O&M Grade:	0
Clock Start/From:	3
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	




Code: Description:	TF Tap Factory
Distance (ft):	138.1
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	11
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	TF
Description:	Tap Factory
Distance (ft):	155.9
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	1
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code: Description:	TF Tap Factory
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value:	211.0 0 0 9 4.000
Value Percent: Continuous Index: Within 8" of Joint: Remarks:	




Code:	TF
Description:	Tap Factory
Distance (ft):	213.4
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	2
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	

Remarks:



Code: Description:	TF Tap Factory
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	238.2 0 0 3 4.000
Nemarka.	



Code:	TF
Description:	Tap Factory

Distance (ft):	259.7
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	10
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	MSA
Description:	Abandoned Survey

Distance (ft):	280.2
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	ROBOT HAS STOPED