## **Profile/Photo Observation Report**



Date: 04/18/2018 Weather: **PACP 6.0** Coding: Pipe Length (ft): 129.7 Owner: NA Pre Clean: **Not Known** P.O.#: **Michael Carlino** PSR: P-504-106-105 Surveyor:

Customer: Clean Date: 01/01/1900 Shape: C

Street: OFF N VIRGINIA ST Flow Control: Not Controlled

City: Hobart, IN Year Renewed:
Location: Light Highway Tape/Media #:

Purpose: Not Known Dia/Height: 12"
Use: Sanitary Material: VCP

Drain Area: NA Lining:

Category: NA
Comment:

Location Details: Direction of Survey: **Downstream** 

US MH: M-504-105 DS MH: M-504-106 Total Length Surveyed (ft): 124.8

1.56 3123 14.00 O&M Index: O&M Quick: O&M Rating: 3.50 7.00 Structural Quick: Structural Rating: Structural Index: 1.91 21.00 Overall Quick: Overall Rating: Overall Index:

504-105 .0 .0 28.7 28.7 52.2 52.7 60.4 84.3 85.0 85.0 86.4	AMH MWL TBD RFC FM TFD RFJ RFJ FL RFB	Manhole Water Level Tap Break-in Defective Roots Fine Connection Fracture Multiple Tap Factory Defective Roots Fine Joint Roots Fine Joint Fracture Longitudinal	10 21 90 101 160 173 201 260	NA NA M 3 M 1 S 4 M 2 M 1
.0 .0 28.7 28.7 52.2 52.7 60.4 84.3 85.0 85.0 86.4	MWL TBD RFC FM TFD RFJ RFJ FL	Water Level Tap Break-in Defective Roots Fine Connection Fracture Multiple Tap Factory Defective Roots Fine Joint Roots Fine Joint	21 90 101 160 173 201 260	NA M 3 M 1 S 4 M 2 M 1
28.7 28.7 52.2 52.7 60.4 84.3 85.0 85.0 86.4	TBD  RFC  FM  TFD  RFJ  RFJ  FL	Tap Break-in Defective  Roots Fine Connection  Fracture Multiple  Tap Factory Defective  Roots Fine Joint  Roots Fine Joint	90 101 160 173 201 260	M 3 M 1 S 4 M 2 M 1
52.2 52.7 60.4 84.3 85.0 85.0 86.4	RFC FM TFD RFJ RFJ FL	Roots Fine Connection Fracture Multiple Tap Factory Defective Roots Fine Joint Roots Fine Joint	101 160 173 201 260	M 1 S 4 M 2 M 1
52.2 52.7 60.4 84.3 85.0 85.0 86.4	FM TFD RFJ RFJ FL	Fracture Multiple Tap Factory Defective Roots Fine Joint Roots Fine Joint	160 173 201 260	S 4 M 2 M 1
52.7 60.4 84.3 85.0 85.0 86.4	TFD RFJ RFJ FL	Tap Factory Defective  Roots Fine Joint  Roots Fine Joint	173 201 260	M 2 M 1
84.3 85.0 85.0 86.4	RFJ RFJ FL	Roots Fine Joint Roots Fine Joint	201 260	M 1
84.3 85.0 85.0 86.4	RFJ FL	Roots Fine Joint	260	
85.0 85.0 86.4	FL			
85.0 86.4		Fracture Longitudinal		M 1
86.4	RFB		273	S 3
1 11.		Roots Fine Barrel	285	M 2
1 1111	RFL	Roots Fine Lateral	301	M 1
86.4	TFD	Tap Factory Defective	312	M 2
123.7	RFJ	Roots Fine Joint	401	M 1
124.8	MSA	Abandoned Survey	419	NA



Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-504-105



Code: MWL

Description: **Water Level** 

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent:

Continuous Index:

Within 8" of Joint: NO

10.000

Remarks:



Code: TBD

Description: **Tap Break-in Defective** 

Distance (ft): 28.7 Structural Grade: 0 O&M Grade: 3 Clock Start/From: 11

Clock To:

1st Value: 6.000

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks: **RFC** 



Code: RFC

Description: Roots Fine Connection

Distance (ft): 28.7
Structural Grade: 0

O&M Grade: 1

Clock Start/From: 11

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: FM

Description: Fracture Multiple

Distance (ft): 52.2
Structural Grade: 4

O&M Grade: 0

Clock Start/From: 10

Clock To: 12

1st Value:

2nd Value:

Value Percent: Continuous Index:

Within 8" of Joint: YES



Code: **TFD** 

Description: Tap Factory Defective

Distance (ft): 52.7
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 12

Clock To:

1st Value: **6.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks: FM; RFL



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 60.4
Structural Grade: 0

O&M Grade: 1

Clock Start/From: 12

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 84.3
Structural Grade: 0

O&M Grade: 1

Clock Start/From: 10

Clock To: 12

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: FL

Description: Fracture Longitudinal

Distance (ft): 85.0
Structural Grade: 3
O&M Grade: 0
Clock Start/From: 2
Clock To:

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES



Code: RFB

Description: Roots Fine Barrel

Distance (ft): 85.0
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 2

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: RFL

Description: Roots Fine Lateral

Distance (ft): 86.4
Structural Grade: 0

O&M Grade: 1

Clock Start/From: 2

Clock To:
1st Value:

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO



Code: **TFD** 

Description: Tap Factory Defective

Distance (ft): 86.4
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 2

Clock To:

1st Value: **6.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks: RFL



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 123.7
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 9
Clock To:

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES



Code: MSA

Description: Abandoned Survey

Distance (ft): 124.8
Structural Grade: 0

O&M Grade: **0** 

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent:

Continuous Index:

Within 8" of Joint: NO

Remarks: RFJ