Date:	04/26/2018	Weather:			Coding:	PACP 6.0
Pipe Length (f		Owner:	City of Hobart	:	Pre Clean:	No Pre-Cleaning
P.O.#:	95	Surveyor:	M. Pielacha		PSR:	P-505-092-016
Customer:	City of Hobart	Clean Date:			Shape:	С
Street:	3rd Street		Flow Control:		Not Controlled	
City:	Hobart, IN		Year Renewed:			
Location:	Light Highway		Tape/Media #:		DEP 95	
Purpose:	Routine Assessme	nt	Dia/Height:		18"	
Use:	Sanitary		Material:		СР	
Drain Area:			Lining:			
Category:	NA					
Comment:	YES501824 Submit	al 2				
Location Deta	ils:		Direction of Sur	vey:	Downstream	
US MH:	M-505-092	DS MH:	M-505-016	Total Ler	ngth Surveyed (ft)	263.4
0&M Index:	1.08	O&M Quick:	21:	1A (	D&M Rating:	13.00
Structural Index	c: <b>3.00</b>	Structural Qu	uick: 310	<mark>00 </mark>	Structural Rating:	159.00
Overall Index:	2.65	Overall Quic			Overall Rating:	172.00

	Position	Code	Observation	Video (sec)	Grade
M(505-0	92				
	.0	AMH	Manhole	0	NA
	.0	SAV(S01)	Surface Aggregate Visible	4	S 3
	.0	MWL	Water Level	16	NA
	2.8	ТВ	Tap Break-in	28	NA
	5.8	RFJ(SO2)	Roots Fine Joint	42	M 1
	17.3	RFJ(F02)	Roots Fine Joint	69	M 1
	63.7	TBI	Tap Break-in Intruding	128	M 2
	74.0	ТВ	Tap Break-in	158	NA
	108.5	RFJ(SO3)	Roots Fine Joint	216	M 1
5 LL/	152.0	RFJ(F03)	Roots Fine Joint	324	M 1
Camera Direction	252.6	ТВ	Tap Break-in	479	NA
i Di	263.4	AMH	Manhole	505	NA
	263.4	SAV(F01)	Surface Aggregate Visible	528	S 3
M <del>(</del> 505 <del>)</del> 0	16				



AMH Manhole
.0
0
0
NO
M-505-092

Thursday, May 4, 2023



Code:	SAV
Description:	Surface Aggregate Visible
	•
Distance (ft):	.0
Structural Grade:	3
O&M Grade:	0
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	S01
Within 8" of Joint:	YES
Remarks:	



Code: Description:	MWL Water Level
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	10.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	TB Tap Break-in
Distance (ft):	2.8
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	12
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	RFJ Roots Fine Joint
Distance (ft):	5.8
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	S02
Within 8" of Joint:	YES
Remarks:	



Code:	RFJ
Description:	<b>Roots Fine Joint</b>
Distance (ft):	17.3
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	F02
Within 8" of Joint:	YES
Remarks:	




Code: Description:	TBI Tap Break-in Intruding
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: Remarks:	63.7 0 2 2 4.000 2.000 NO



Code: Description:	TB Tap Break-in
Distance (ft):	74.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	1
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	RFJ Roots Fine Joint
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value:	108.5 0 1 9 3
Value Percent: Continuous Index: Within 8" of Joint: Remarks:	SO3 YES



Code:	RFJ
Description:	<b>Roots Fine Joint</b>
Distance (ft):	152.0
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	9
Clock To:	3
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	F03
Within 8" of Joint:	YES
Remarks:	



Code: Description:	TB Tap Break-in
Distance (ft):	252.6
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	2
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code:	AMH	
Description:	Manhole	
Distance (ft):	263.4	
Structural Grade:	0	
O&M Grade:	0	
Clock Start/From:		
Clock To:		
1st Value:		
2nd Value:		
Value Percent:		
Continuous Index:		
Within 8" of Joint:	NO	
Remarks:	M-505-016	



Code: Description:	SAV Surface Aggregate Visible
Distance (ft):	263.4
Structural Grade:	3
O&M Grade:	0
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	F01
Within 8" of Joint:	NO
Remarks:	