Profile/Photo Observation Report



Date: 04/12/2018 Weather: **PACP 6.0** Coding:

Pipe Length (ft): 279.8 Owner: NA Pre Clean: No Pre-Cleaning P.O.#: Jen Costello PSR: P-506-036-037

Customer: Clean Date: 01/01/1900 Shape:

IAN DR Flow Control: **Not Controlled** Street:

Surveyor:

City: Hobart, IN Year Renewed: Yard Tape/Media #: Location:

Purpose: **Routine Assessment** Dia/Height: 8" **PVC** Use: Sanitary Material:

NΑ Drain Area: Lining:

NA Category: Comment: Flow direction is marked wrong.

Location Details: Direction of Survey: **Downstream**

US MH: M-506-037 Total Length Surveyed (ft): DS MH: M-506-036 275.4

0.00 0000 0.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 0.00 0000 0.00 Overall Index: Overall Quick: Overall Rating:


	Position	Code	Observation	Video (sec)	Grade
506-03	7				
$\overline{}$.0	AMH	Manhole	10	NA
	.0	MWL	Water Level	21	NA
	72.9	TFA	Tap Factory Active	179	NA
	104.6	TFA	Tap Factory Active	255	NA
	146.5	TFA	Tap Factory Active	352	NA
	211.2	TFA	Tap Factory Active	493	NA
-	221.0	TFA	Tap Factory Active	525	NA
	275.4	AMH	Manhole	646	NA

Code:



Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: NO Remarks: M-506-03	Description:	Manhole
O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: NO	` ,	-
Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: NO	O&M Grade:	
2nd Value: Value Percent: Continuous Index: Within 8" of Joint: NO	·	
Continuous Index: Within 8" of Joint: NO	200 1 41.41.61	
	1 414 6 1 61 661111	
		NO M-506-037

AMH



Code: MWL

Description: **Water Level**

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent:

Continuous Index:

Within 8" of Joint:

Remarks:

5.000

NO



Code: **TFA**

Description: **Tap Factory Active**

Distance (ft): 72.9 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 3

Clock To:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: TFA

Description: Tap Factory Active

Distance (ft): 104.6
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 9

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: TFA

Description: Tap Factory Active


Distance (ft): 146.5
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: TFA

Description: Tap Factory Active

Distance (ft): 211.2
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: TFA

Description: Tap Factory Active

Distance (ft): 221.0
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 9

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: AMH
Description: Manhole

Distance (ft): 275.4
Structural Grade: 0
O&M Grade: 0

Clock Start/From: Clock To:

1st Value: 2nd Value: Value Percent:

Continuous Index:

Within 8" of Joint: NO

Remarks: M-506-036