
Profile/Ph	oto Observation I	Report				RedZon
Date:	10/08/2018	Weather:			Coding:	PACP 6.0
Pipe Length (ft)	: 248.6	Owner:	NA		Pre Clean:	Not Known
P.O.#:		Surveyor:	Selasie Honu		PSR:	P-507-014-013
Customer:		Clean Date:	01/01/1900		Shape:	с
Street:	CSOKASY LN		Flow Control:		Not Controlled	
City:	Hobart, IN		Year Renewed	:		
Location:	Light Highway		Tape/Media #:			
Purpose:	Routine Assessment		Dia/Height:		10"	
Use:	Sanitary		Material:		VCP	
Drain Area:	NA		Lining:			
Category:	NA					
Comment:						
Location Details	5:		Direction of Su	irvey:	Downstream	
US MH:	M-507-013	DS MH:	M-507-014	Total Leng	th Surveyed (ft):	76.1
0&M Index:	0.00	O&M Quick:	00	30 0 000	&M Rating:	0.00
tructural Index:	0.00	 Structural Qu	uick: 00	500 Str	ructural Rating:	0.00
Overall Index:	0.00	Overall Quick	c: 00	000 Ov	verall Rating:	0.00





Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-507-013



Code: MWL Description: Water Level

.0
0
0
5.000
NO



Code: Description:	TF Tap Factory
Distance (ft):	39.1
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	3
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	

Thursday, November 16, 2023



Code:TFDescription:Tap Factory

Distance (ft):	40.7
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	9
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	MSA
Description:	Abandoned Survey

Distance (ft):	76.1
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	camera stopped