Profile/Photo Observation Report

Customer:

Location:



Date: 04/23/2018 Weather: **PACP 6.0** Coding: Pipe Length (ft): 65.5 Owner: NA Pre Clean: **Not Known** P.O.#: Jen Costello PSR: P-604-052-051 Surveyor:

01/01/1900

Tape/Media #:

Shape:

Street: Summerlin Flow Control: Not Controlled

Clean Date:

City: Hobart, IN Year Renewed:

Purpose: Not Known Dia/Height: 12"
Use: Sanitary Material: PVC

Drain Area: NA Lining:

Category: NA
Comment:

Light Highway

Location Details: Direction of Survey: **Downstream**

US MH: M-604-051 DS MH: M-604-052 Total Length Surveyed (ft): 222.0

0000 0.00 0.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 0.00 0000 0.00 Overall Rating: Overall Index: Overall Quick:

	osition	Code	Observation	Video (sec)	Grade
604-051					
0.		AMH	Manhole	10	NA
0.\		MWL	Water Level	21	NA
20	0.0	TF	Tap Factory	73	NA
42	2.9	TFA	Tap Factory Active	131	NA
73	3.2	TF	Tap Factory	203	NA
77	7.0	TFA	Tap Factory Active	222	NA
//20	1.1	TFA	Tap Factory Active	482	NA
<u> </u>	7.8	TFA	Tap Factory Active	527	NA
22	22.0	AMH	Manhole	548	NA

Code:

Description:



Distance (ft):

Structural Grade:

O&M Grade:

Clock Start/From:

Clock To:

1st Value:

2nd Value:

Value Percent:

Continuous Index:

Within 8" of Joint:

NO

AMH

Manhole

Remarks: **M-604-051**



Code: MWL

Description: **Water Level**

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO

Code: TF Description: **Tap Factory**



Distance (ft): 20.0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 10 Clock To:

1st Value:

4.000

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: TFA

Description: Tap Factory Active

4.000

Distance (ft): 42.9
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3

Clock To:


1st Value:

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:

Code: **TF**

Description: Tap Factory



Distance (ft): 73.2
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 10

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: TFA

Description: Tap Factory Active


Distance (ft): 77.0
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 2

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: TFA

Description: Tap Factory Active


Distance (ft): 201.1
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 9

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: TFA

Description: Tap Factory Active

4.000

Distance (ft): 217.8
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 9

Clock To:

1st Value:

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:

Code: AMH
Description: Manhole



Distance (ft): 222.0
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: NO

Remarks: M-604-052