Profile/Photo Observation Report



Date: 11/09/2021 **PACP 7.0** Weather: Coding: **City of Hobart** Pipe Length (ft): 173.1 Owner: Pre Clean: **Heavy Cleaning** P.O.#: Steven Bucklin PSR: P-604-111-107 YES502259 Surveyor:

Customer: City of Hobart, IN (Red Clean Date: 11/09/2021 Shape: C

Street: North Ash Street Flow Control: Not Controlled

City: City of Hobart Year Renewed:
Location: Local rural streets with light traffic, t Tape/Media #:

Purpose:Routine AssessmentDia/Height:10"Use:Sanitary Sewage PipeMaterial:VCPDrain Area:Lining:None

Category: NA

Comment:

Location Details: Direction of Survey: Upstream

US MH: M-604-107 DS MH: M-604-111 Total Length Surveyed (ft): 173.1

1.27 108.00 O&M Index: O&M Quick: O&M Rating: 3.12 524D 162.00 Structural Rating: Structural Index: Structural Quick: 1.97 524D 270.00 Overall Quick: Overall Index: Overall Rating:

| | Position | Code | Observation | Video (sec) | Grade |
|---------------|----------|-----------|-----------------------------------|-------------|-------|
| 604 |)111 | | | | |
| \mathcal{L} | 0. | AMH | Manhole | 1 | NA |
| | 0. | MWL | Miscellaneous Water Level | 11 | NA |
| | 1.5 | MGO | Miscellaneous General Observation | 31 | NA |
| ш | 2.6 | MWLS(S01) | Miscellaneous Water Level Sag | 52 | S 2 |
| н | 7.3 | LU | Line Up | 107 | M 1 |
| ш | 8.1 | MWLS(F01) | Miscellaneous Water Level Sag | 125 | S 2 |
| ш | 12.2 | ISB(S02) | Infiltration Stain Barrel | 179 | M 1 |
| ш | 12.2 | ISB(S03) | Infiltration Stain Barrel | 206 | M 1 |
| ш | 12.2 | FM(S04) | Fracture Multiple | 223 | S 4 |
| ш | 13.4 | В | Broken | 240 | S 4 |
| ш | 34.6 | MWLS(S05) | Miscellaneous Water Level Sag | 340 | S 2 |
| н | 39.6 | SSS | Surface Damage Surface Spalling | 383 | S 2 |
| ш | 41.6 | SSS | Surface Damage Surface Spalling | 407 | S 2 |
| | 44.2 | SSS | Surface Damage Surface Spalling | 429 | S 2 |
| | 44.5 | В | Broken | 432 | S 4 |
| | 44.9 | FM(F04) | Fracture Multiple | 435 | S 4 |
| | 48.6 | JOM | Joint Offset Medium | 482 | S 3 |
| | 49.7 | MCU | Miscellaneous Camera Underwater | 516 | M 4 |
| | 51.1 | CM | Crack Multiple | 542 | S 3 |

| 57.9 | OBZ | Obstruction Other | 591 | M |
|---------|-----------|------------------------------------|------|-----|
| 60.0 | CS | Crack Spiral | 611 | S 2 |
| 66.5 | OBZ | Obstruction Other | 654 | M |
| 68.1 | HSV | Hole Soil Visible | 698 | S 5 |
| 68.1 | HSV | Hole Soil Visible | 728 | S 5 |
| 68.1 | ОВР | Obstruction External Pipe or Cable | 782 | M |
| 68.1 | В | Broken | 794 | S 4 |
| 70.3 | FM(S09) | Fracture Multiple | 816 | S 4 |
| 79.6 | В | Broken | 875 | S 4 |
| 79.6 | OBZ | Obstruction Other | 877 | M |
| 86.1 | OBZ | Obstruction Other | 925 | M |
| 88.4 | OBZ | Obstruction Other | 958 | M |
| 98.5 | OBZ | Obstruction Other | 1011 | M |
| 98.5 | MWLS(F05) | Miscellaneous Water Level Sag | 1021 | S 2 |
| 99.3 | B(S10) | Broken | 1032 | S 4 |
| 103.8 | OBZ | Obstruction Other | 1057 | M |
| 105.8 | B(F10) | Broken | 1076 | S 4 |
| 111.5 | DR | Deformed Rigid | 1099 | S 4 |
| 113.3 | OBZ | Obstruction Other | 1121 | M |
| 118.0 | FM(F09) | Fracture Multiple | 1150 | S 4 |
| 123.7 | MWLS(S06) | Miscellaneous Water Level Sag | 1176 | S 2 |
| 131.3 | OBZ | Obstruction Other | 1215 | M |
| /136.4 | MWLS(F06) | Miscellaneous Water Level Sag | 1267 | S 2 |
| 137.5 | OBZ(S07) | Obstruction Other | 1283 | M |
| 143.8 | DAE | Deposits Attached Encrustation | 1354 | M |
| //143.8 | JOSD | Joint Offset Small Defective | 1366 | NA |
| 145.8 | TF | Tap Factory | 1399 | NA |
| 146.9 | DAE | Deposits Attached Encrustation | 1441 | M |
| 153.1 | B(S08) | Broken | 1528 | S 4 |
| 157.1 | SSS | Surface Damage Surface Spalling | 1573 | S 2 |
| 157.7 | TBI | Tap Break-in Intruding | 1597 | M |
| 162.3 | RFJ | Roots Fine Joint | 1644 | M |
| 162.3 | B(F08) | Broken | 1659 | S 4 |
| 166.0 | SSS | Surface Damage Surface Spalling | 1684 | S 2 |
| 166.0 | ISB(F03) | Infiltration Stain Barrel | 1697 | M |
| 166.0 | ISB(F02) | Infiltration Stain Barrel | 1706 | М |
| 172.1 | OBZ(F07) | Obstruction Other | 1759 | M |
| 173.1 | AMH | Manhole | 1851 | NA |



Code: AMH
Description: Manhole

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0

Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: M-604-111



Code: MWL

Description: Miscellaneous Water Level

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 10.000

Continuous Index:

Within 8" of Joint: NO

Remarks:



Code: MGO

Description: **Miscellaneous General Observation**

Distance (ft): 1.5 Structural Grade: 0 0 O&M Grade:


Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: DROP INTO THE MANHOLE. HAD TO

START IN THE PIPE.



Code: **MWLS**

Description: **Miscellaneous Water Level Sag**

Distance (ft): 2.6 Structural Grade: 2 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 20.000 Continuous Index: **S01** Within 8" of Joint: NO

Remarks:



Code: LU Description: Line Up

Distance (ft): 7.3 Structural Grade: 0 O&M Grade: 1

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: **MWLS**

Description: **Miscellaneous Water Level Sag**

Distance (ft): 8.1 Structural Grade: 2 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 20.000 Continuous Index: F01 Within 8" of Joint: NO

Remarks:



Code: ISB

Description: Infiltration Stain Barrel

Distance (ft): 12.2
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 3
Clock To: 5

1st Value: 2nd Value: Value Percent:

Continuous Index: S02
Within 8" of Joint: YES

Remarks:




Code: ISB

Description: Infiltration Stain Barrel

Distance (ft): 12.2
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 7
Clock To: 9
1st Value:
2nd Value:
Value Percent:

Continuous Index: **S03** Within 8" of Joint: **YES**

Remarks:




Code: FM
Description: Fracture Multiple

Distance (ft): 12.2
Structural Grade: 4
O&M Grade: 0
Clock Start/From: 7
Clock To: 5
1st Value:

2nd Value:
Value Percent:
Continuous Index:

Continuous Index: **S04** Within 8" of Joint: **YES**

Remarks:



Code: B
Description: Broken

Distance (ft): 13.4
Structural Grade: 4

O&M Grade: 0

Clock Start/From: 11


Clock To: 2

1st Value: 2

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: MWLS

Description: Miscellaneous Water Level Sag


Distance (ft): 34.6
Structural Grade: 2
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 30.000
Continuous Index: S05
Within 8" of Joint: NO

Remarks:



Code: SSS

Description: Surface Damage Surface Spalling


Distance (ft): 39.6
Structural Grade: 2
O&M Grade: 0
Clock Start/From: 12

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks:

461



Code: SSS

Description: **Surface Damage Surface Spalling**


Distance (ft): 41.6 Structural Grade: 2 0 O&M Grade: Clock Start/From: 12

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

NO



SSS Code:


Description: **Surface Damage Surface Spalling**

Distance (ft): 44.2 Structural Grade: 2 O&M Grade: 0 Clock Start/From: 12

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks:



Code: B
Description: Broken

Distance (ft): 44.5
Structural Grade: 4


O&M Grade: 0

Clock Start/From: 12

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:




Code: FM

Description: Fracture Multiple

Distance (ft): 44.9
Structural Grade: 4
O&M Grade: 0
Clock Start/From: 7
Clock To: 5
1st Value:
2nd Value:
Value Percent:

Continuous Index: F04
Within 8" of Joint: YES

Remarks:



Code: **JOM**

Description: Joint Offset Medium

Distance (ft): 48.6
Structural Grade: 3
O&M Grade: 0


Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: MCU

Description: Miscellaneous Camera Underwater


Distance (ft): 49.7
Structural Grade: 0
O&M Grade: 4

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: Out at 50.6



Code: CM

Description: Crack Multiple

Distance (ft): 51.1
Structural Grade: 3
O&M Grade: 0
Clock Start/From: 8
Clock To: 4

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: OBZ

Description: Obstruction Other

Distance (ft): 57.9
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 5

Clock To: 6

1st Value:


2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS THAT HAVE BEEN CUT



Code: CS

Description: Crack Spiral

Distance (ft): 60.0
Structural Grade: 2
O&M Grade: 0
Clock Start/From: 11
Clock To: 12

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:

Code: OBZ

Description: Obstruction Other

Distance (ft): 66.5
Structural Grade: 0

O&M Grade: 2
Clock Start/From: 4
Clock To: 8

1st Value:

2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS THAT HAVE BEEN CUT





Code: HSV

Description: Hole Soil Visible

Distance (ft): 68.1
Structural Grade: 5

O&M Grade: 0

Clock Start/From: 1

Clock To: 3

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: HSV

Description: Hole Soil Visible

Distance (ft): 68.1
Structural Grade: 5

O&M Grade: 0

Clock Start/From: 10


Clock To: 11

1st Value:

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: OBP

Description: Obstruction External Pipe or Cable

Distance (ft): 68.1
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 10

Clock To: 2

1st Value: 2nd Value:


Value Percent: 10.000

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **B**

Description: Broken

Distance (ft): 68.1
Structural Grade: 4

O&M Grade: 0

Clock Start/From: 8

Clock To: 4

1st Value:
2nd Value:

Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks:



Code: FM

Description: Fracture Multiple

Distance (ft): 70.3
Structural Grade: 4
O&M Grade: 0
Clock Start/From: 8
Clock To: 4

1st Value: 2nd Value: Value Percent:

Continuous Index: S09
Within 8" of Joint: YES

Remarks:



Code: **B**

Description: Broken

Distance (ft): 79.6
Structural Grade: 4

O&M Grade: 0

Clock Start/From: 8

Clock To:

1st Value:

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: OBZ

Description: Obstruction Other

Distance (ft): 79.6
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 6

Clock To: 7

1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS THAT HAVE BEEN CUT



Code: OBZ

Description: Obstruction Other

Distance (ft): 86.1
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 6

Clock To: 7

1st Value:

2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS THAT HAVE BEEN CUT



Code: OBZ

Description: Obstruction Other

Distance (ft): 88.4
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 6

Clock To: 7

1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS THAT HAVE BEEN CUT



Code: OBZ

Description: Obstruction Other

Distance (ft): 98.5
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 6


Clock To: 1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS THAT HAVE BEEN CUT



Code: **MWLS**

Description: **Miscellaneous Water Level Sag**


Distance (ft): 98.5 Structural Grade: 2 0 O&M Grade:

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 30.000 Continuous Index: F05 Within 8" of Joint: NO

Remarks:



Code: В

Description: Broken

Distance (ft): 99.3 Structural Grade: 4 O&M Grade: 0 Clock Start/From: 1 2 Clock To: 1st Value: 2nd Value:

Continuous Index: **S10** Within 8" of Joint: YES

Value Percent:

Remarks:



Code: OBZ

Description: Obstruction Other

Distance (ft): 103.8
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 5
Clock To: 6


1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS THAT HAVE BEEN CUT



Code: B


Description: Broken

Distance (ft): 105.8
Structural Grade: 4
O&M Grade: 0
Clock Start/From: 1
Clock To: 2
1st Value:
2nd Value:

Continuous Index: F10
Within 8" of Joint: YES

Remarks:

Value Percent:



Code: DR

Description: **Deformed Rigid**

Distance (ft): 111.5
Structural Grade: 4
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:


Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: OBZ

Description: Obstruction Other

Distance (ft): 113.3
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 7

Clock To: 1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks: ROOTS THAT HAVE BEEN CUT



Code: FM

Description: **Fracture Multiple**

Distance (ft): 118.0 Structural Grade: 4 O&M Grade: 0 Clock Start/From: 8 4

Clock To: 1st Value: 2nd Value:

Value Percent:

Continuous Index: F09 Within 8" of Joint: YES

Remarks:



Code: **MWLS**

Description: **Miscellaneous Water Level Sag**

Distance (ft): 123.7 Structural Grade: 2 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 10.000 Continuous Index: **S06** Within 8" of Joint: NO

Remarks:



Code: OBZ

Description: **Obstruction Other**

Distance (ft): 131.3 Structural Grade: 0 2 O&M Grade: Clock Start/From: 5 Clock To: 7


1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks: **ROOTS THAT HAVE BEEN CUT**



Code: **MWLS**

Description: **Miscellaneous Water Level Sag**

Distance (ft): 136.4 Structural Grade: 2 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 10.000 Continuous Index: F06 Within 8" of Joint: NO

Remarks:



Code: OBZ


Description: **Obstruction Other**

Distance (ft): 137.5 Structural Grade: 0 2 O&M Grade: Clock Start/From: 5 Clock To: 7

1st Value: 2nd Value:

Value Percent: 5.000 Continuous Index: **S07** Within 8" of Joint: YES

Remarks: **ROOTS THAT HAVE BEEN CUT**



Code: DAE

Description: **Deposits Attached Encrustation**

Distance (ft): 143.8 Structural Grade: 0 O&M Grade: 2 Clock Start/From: 8 Clock To: 4 1st Value:

2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: JOSD

Description: Joint Offset Small Defective


Distance (ft): 143.8
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: SOIL VISIBLE



Code: **TF**

Description: Tap Factory

Distance (ft): 145.8
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 9


Clock To:

1st Value: **6.000**

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks:



Code: DAE

Description: **Deposits Attached Encrustation**

Distance (ft): 146.9 Structural Grade: 0 2 O&M Grade: Clock Start/From: 8 Clock To: 4

1st Value: 2nd Value:


Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: В

Description: Broken

Distance (ft): 153.1 Structural Grade: 4 O&M Grade: 0 Clock Start/From: 12 Clock To: 12

1st Value: 2nd Value: Value Percent: Continuous Index:

S08 Within 8" of Joint: YES

Remarks:



Code: SSS

Description: Surface Damage Surface Spalling


Distance (ft): 157.1
Structural Grade: 2
O&M Grade: 0
Clock Start/From: 1
Clock To: 3

1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: TBI

Description: Tap Break-in Intruding

Distance (ft): 157.7
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 2

Clock To:

 1st Value:
 4.000

 2nd Value:
 1.000

Value Percent: Continuous Index:

Within 8" of Joint: YES

Remarks: CONSTANTLY RUNNING WATER.



Code: RFJ

Description: Roots Fine Joint


Distance (ft): 162.3
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 12
Clock To: 1

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES




Code: B
Description: Broken

Distance (ft): 162.3
Structural Grade: 4
O&M Grade: 0
Clock Start/From: 12
Clock To: 12
1st Value:
2nd Value:
Value Percent:

Continuous Index: F08
Within 8" of Joint: YES

Remarks:



Code: SSS

Description: **Surface Damage Surface Spalling**


Distance (ft): 166.0 Structural Grade: 2 O&M Grade: 0 3

Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

NO



ISB Code:

Description: **Infiltration Stain Barrel**

Distance (ft): 166.0 Structural Grade: 0 O&M Grade: 1 Clock Start/From: 7 Clock To: 9 1st Value: 2nd Value:

Value Percent: Continuous Index:

F03 Within 8" of Joint: YES

Remarks:



Code: ISB


Description: Infiltration Stain Barrel

Distance (ft): 166.0
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 3
Clock To: 5

1st Value: 2nd Value: Value Percent:

Continuous Index: F02
Within 8" of Joint: YES

Remarks:



Code: OBZ

Description: Obstruction Other

Distance (ft): 172.1
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 5
Clock To: 7
1st Value:

2nd Value:
Value Percent:
Continuous Index:
Within 8" of Joint:
YES

Remarks: ROOTS THAT HAVE BEEN CUT



Code: AMH Description: Manhole

Distance (ft): 173.1 Structural Grade: 0 O&M Grade: 0

Clock Start/From: Clock To: 1st Value:

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

NO Remarks: M-604-107