Profile/Photo Observation Report



Date: 04/07/2018 Weather: Coding: **PACP 6.0** Pipe Length (ft): **City of Hobart** Owner: Pre Clean: **Not Known** P.O.#: 203 Surveyor: **B.** Helbling PSR: P-607-023-008 Customer: **City of Hobart** Clean Date: Shape: Street: **Polly Lane** Flow Control: **Not Controlled** City: Hobart, IN Year Renewed: Location: Easement/Right of Way Tape/Media #: **DEP203** Purpose: **Routine Assessment** Dia/Height: 18" **VCP** Use: Sanitary Material: Lining: Drain Area: Category: NA Comment: YES501824 Submital 2 **Location Details:** Direction of Survey: **Downstream** US MH: M-607-008 M-607-023 Total Length Surveyed (ft): DS MH: 280.1

O&M Index:	4.00	O&M Quick:	4100	O&M Rating:	4.00
Structural Index:	0.00	Structural Quick:	0000	Structural Rating:	0.00
Overall Index:	4.00	Overall Quick:	4100	Overall Rating:	4.00
·				=	

	Position	Code	Observation	Video (sec)	Grade
M(607-)0	08				
	0	AMH	Manhole	0	NA
	0.	MWL	Water Level	12	NA
-11	138.4	IR	Infil Runner	444	M 4
-11	280.1	AMH	Manhole	684	NA
M-607-0	23				

Code:



Description: Manhole Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: NO Remarks: M-607-008

AMH



Code: MWL
Description: Water Level

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 15.000

Continuous Index:

Within 8" of Joint: NO

Remarks:

YES



Code: IR

Description: Infil Runner

Distance (ft): 138.4
Structural Grade: 0
O&M Grade: 4
Clock Start/From: 7
Clock To: 11

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:



Code: AMH
Description: Manhole

Distance (ft): 280.1
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks: M-607-023

NO