Profile/Pho	oto Observatior	Report				RedZone
Date: Pipe Length (ft) P.O.#:	04/03/2018 : 229.6	Weather: Owner: Surveyor:	NA Jen Costel	lo	Coding: Pre Clean: PSR:	PACP 6.0 No Pre-Cleaning P-607-036-037
Customer:		Clean Date:	01/01/190	00	Shape:	С
Street:	DIANE CT & MEDLEE DR		Flow Contro	ol:	Not Controlled	
City:	Hobart, IN		Year Renew	ved:		
Location:	Yard		Tape/Media	a #:		
Purpose:	Routine Assessme	nt	Dia/Height:		8"	
Use:	Sanitary		Material:		PVC	
Drain Area:	NA		Lining:			
Category:	NA					
Comment:						
Location Details	5:		Direction of	Survey:	Downstream	
US MH:	M-607-037	DS MH:	M-607-036		Total Length Surveyed (ft)	: 217.6
0&M Index:	0.00	O&M Quick:		0000	O&M Rating:	0.00
Structural Index:	0.00	Structural Q	uick:	0000	Structural Rating:	0.00
Overall Index:	0.00	Overall Quic	k:	0000	Overall Rating:	0.00

	Position	Code	Observation	Video (sec)	Grade
N(607-	037				
\mathbf{Y}	0.	AMH	Manhole	10	NA
	.0	MWL	Water Level	21	NA
	72.7	TFA	Tap Factory Active	178	NA
	74.6	TF	Tap Factory	194	NA
	144.7	TF	Tap Factory	347	NA
	164.4	MWL	Water Level	398	NA
	190.2	TF	Tap Factory	461	NA
	211.1	TF	Tap Factory	515	NA
	217.6	AMH	Manhole	539	NA



Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-607-037




Code: MWL Description: Water Level

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: 10.000 Continuous Index: Within 8" of Joint: NO Remarks:



Code: Description:	TFA Tap Factory Active
Distance (ft):	72.7
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	10
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	TF
Description:	Tap Factory

Distance (ft):	74.6
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	2
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code: Description:	TF Tap Factory
Distance (ft): Structural Grade: O&M Grade: Clock Start/From: Clock To: 1st Value: 2nd Value:	144.7 0 0 10 4.000
Value Percent: Continuous Index: Within 8" of Joint: Remarks:	



Code: MWL Description: Water Level

Distance (ft):	164.4
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	30.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	TF Tap Factory
Distance (ft):	190.2
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	11
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	TF
Description:	Tap Factory
Distance (ft):	211.1
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	11
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	AMH
Description:	Manhole
Distance (ft):	217.6

Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-607-036