Profile/Photo Observation Report



Date: 04/03/2018 Weather: Coding: PACP 6.0

Pipe Length (ft): 340.7 Owner: NA Pre Clean: No Pre-Cleaning
P.O.#: Surveyor: Jen Costello PSR: P-607-045-046

Customer: Clean Date: 01/01/1900 Shape: C

Street: MEDLEE DR & FATIMA LN Flow Control: Not Controlled

City: Hobart, IN Year Renewed:
Location: Yard Tape/Media #:

Purpose: Routine Assessment Dia/Height: 8"
Use: Sanitary Material: PVC

Drain Area: **NA** Lining:

Category: NA
Comment: Flow direction is marked wrong.

Location Details: Direction of Survey: **Downstream**

US MH: M-607-046 DS MH: M-607-045 Total Length Surveyed (ft): 331.8

0.00 0000 0.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 0.00 0000 0.00 Overall Index: Overall Quick: Overall Rating:

0.0 AMH Manhole 10 NA 0.0 MWL Water Level 21 NA 96.2 TF Tap Factory 226 NA 164.8 TF Tap Factory 375 NA 188.5 TF Tap Factory 435 NA 222.8 TF Tap Factory 516 NA 2241.8 TF Tap Factory 566 NA 282.5 TF Tap Factory 661 NA 292.7 TF Tap Factory 695 NA 294.1 TF Tap Factory 709 NA 324.1 TFA Tap Factory 781 NA 331.8 AMH Manhole 809 NA	Position	n Code	Observation	Video (sec)	Grade
.0 AMH Manhole 10 NA .0 MWL Water Level 21 NA 96.2 TF Tap Factory 226 NA 164.8 TF Tap Factory 375 NA 188.5 TF Tap Factory 435 NA 222.8 TF Tap Factory 516 NA 241.8 TF Tap Factory 566 NA 282.5 TF Tap Factory 661 NA 292.7 TF Tap Factory 695 NA 294.1 TF Tap Factory 709 NA 324.1 TFA Tap Factory Active 781 NA	607-046				
96.2 TF Tap Factory 226 NA 164.8 TF Tap Factory 375 NA 188.5 TF Tap Factory 435 NA 222.8 TF Tap Factory 516 NA 241.8 TF Tap Factory 566 NA 282.5 TF Tap Factory 661 NA 292.7 TF Tap Factory 695 NA 294.1 TF Tap Factory 709 NA 324.1 TFA Tap Factory Active 781 NA		AMH	Manhole	10	NA
164.8 TF Tap Factory 375 NA 188.5 TF Tap Factory 435 NA 222.8 TF Tap Factory 516 NA 241.8 TF Tap Factory 566 NA 282.5 TF Tap Factory 661 NA 292.7 TF Tap Factory 695 NA 294.1 TF Tap Factory 709 NA 324.1 TFA Tap Factory Active 781 NA	0.	MWL	Water Level	21	NA
188.5 TF Tap Factory 435 NA 222.8 TF Tap Factory 516 NA 241.8 TF Tap Factory 566 NA 282.5 TF Tap Factory 661 NA 292.7 TF Tap Factory 695 NA 294.1 TF Tap Factory 709 NA 324.1 TFA Tap Factory Active 781 NA	96.2	TF	Tap Factory	226	NA
222.8	164.8	TF	Tap Factory	375	NA
241.8 TF Tap Factory 566 NA 282.5 TF Tap Factory 661 NA 292.7 TF Tap Factory 695 NA 294.1 TF Tap Factory 709 NA 324.1 TFA Tap Factory Active 781 NA	188.5	TF	Tap Factory	435	NA
282.5 TF Tap Factory 661 NA 292.7 TF Tap Factory 695 NA 294.1 TF Tap Factory 709 NA 324.1 TFA Tap Factory Active 781 NA	222.8	TF	Tap Factory	516	NA
292.7 TF Tap Factory 695 NA 294.1 TF Tap Factory 709 NA 324.1 TFA Tap Factory Active 781 NA	241.8	TF	Tap Factory	566	NA
294.1 TF Tap Factory 709 NA 324.1 TFA Tap Factory Active 781 NA	282.5	TF	Tap Factory	661	NA
324.1 TFA Tap Factory Active 781 NA	292.7	TF	Tap Factory	695	NA
1111	294.1	TF	Tap Factory	709	NA
331.8 AMH Manhole 809 NA	324.1	TFA	Tap Factory Active	781	NA
	331.8	AMH	Manhole	809	NA
III /II	331.8	AWIII	Walliote	303	NA.

Code:



Description:	Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-607-046

AMH



Code: MWL

Description: Water Level

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0
Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 5

Continuous Index:

Within 8" of Joint:

Remarks:

5.000

NO

Code: **TF**

Description: Tap Factory



Distance (ft): 96.2
Structural Grade: 0

O&M Grade: 0


Clock Start/From: 2

Clock To:

Remarks:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Description: Tap Factory


Distance (ft): 164.8
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 2

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: **TF**

Description: Tap Factory

Distance (ft): 188.5
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 10

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Description: Tap Factory

Distance (ft): 222.8
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 2

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: **TF**


Description: Tap Factory

Distance (ft): 241.8
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 11

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Description: Tap Factory

Distance (ft): 282.5
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 2

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: **TF**


Description: **Tap Factory**

Distance (ft): 292.7
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 10

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Description: Tap Factory

Distance (ft): 294.1
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 10

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: TFA

Description: Tap Factory Active

Distance (ft): 324.1
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 2

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Code: AMH
Description: Manhole

Distance (ft): 331.8
Structural Grade: 0

O&M Grade: 0

Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks: M-607-045

NO