

Profile/Ph	oto Observation	Report				RedZone
Date:	03/30/2018	Weather:			Coding:	PACP 6.0
Pipe Length (ft)	: 35.2	Owner:	NA		Pre Clean:	No Pre-Cleaning
P.O.#:		Surveyor:	Jen Costel	lo	PSR:	P-608-038-039
Customer:		Clean Date:	01/01/190	0	Shape:	с
Street:	WASHINGTON ST		Flow Contro	d:	Not Controlled	
City:	Hobart, IN		Year Renew	ed:		
Location:	Light Highway		Tape/Media	#:		
Purpose:	Routine Assessment	t	Dia/Height:		10"	
Use:	Sanitary		Material:		PVC	
Drain Area:	NA		Lining:			
Category:	NA					
Comment:						
Location Detail	s:		Direction of	Survey:	Upstream	
US MH:	M-608-038	DS MH:	M-608-039	-	Total Length Surveyed (ft):	32.4
0&M Index:	2.00	O&M Quick:		2600	O&M Rating:	12.00
Structural Index:	0.00	 Structural Qu	uick:	0000	Structural Rating:	0.00
Overall Index:	2.00	Overall Quick	<:	2600	Overall Rating:	12.00






Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-608-039



Code: MWL Description: Water Level

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: 20.000 Continuous Index: Within 8" of Joint: NO Remarks:



Code:	DAGS
Description:	Deposits Attached Grease

Distance (ft):	.0
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	S01
Within 8" of Joint:	NO
Remarks:	



Code:DAGSDescription:Deposits Attached Grease

Distance (ft):	30.2
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	F01
Within 8" of Joint:	NO
Remarks:	

Code:

Description:



Distance (ft):	32.4
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-608-038

AMH

Manhole