## **Profile/Photo Observation Report**



P-703-006-016

Date: 03/26/2018 Weather: **PACP 6.0** Coding: Pipe Length (ft): 312.4 Owner: NA Pre Clean: **Not Known** P.O.#:

**Justin Gonzales** 

PSR:

Customer: 01/01/1900 Clean Date: Shape:

PHEASANT RUN DR & EDGEWATER Flow Control: **Not Controlled** Street:

Surveyor:

City: Hobart, IN Year Renewed:

Other Tape/Media #: Location: **Not Known** 

Purpose: Dia/Height: 10" **PVC** Use: Sanitary Material:

NΑ Lining: Drain Area:

NA Category:

Comment:

**Location Details:** Direction of Survey: Upstream

US MH: M-703-016 M-703-006 Total Length Surveyed (ft): DS MH: 302.9

0000 0.00 0.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 0.00 0000 0.00 Overall Index: Overall Rating: Overall Quick:


	Code	Observation	Video (sec)	Grade
703-006				
.0	AMH	Manhole	10	NA
0.	MWL	Water Level	21	NA
83.9	TF	Tap Factory	201	NA
302.9	AMH	Manhole	650	NA

Code:



Description:	Manhole		
Distance (ft):	.0		
Structural Grade:	0		
O&M Grade:	0		
Clock Start/From:			
Clock To:			
1st Value:			
2nd Value:			
Value Percent:			
Continuous Index:			
Within 8" of Joint:	NO		
Remarks:	M-703-006		

 $\mathsf{AMH}$ 



Code: MWL
Description: Water Level

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0
Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 5

Continuous Index:

Within 8" of Joint:


Remarks:

5.000

NO

4.000

Code: TF
Description: Tap Factory



Distance (ft): 83.9
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 10

Clock To: 1st Value:

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: AMH
Description: Manhole

Distance (ft): 302.9
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent:

Continuous Index:

Within 8" of Joint: NO

Remarks: M-703-016