
Date:	10/20/2021	Weather:			Coding:	PACP 6.0
Pipe Length (ft		Owner:	Hobart, IN		Pre Clean:	Not Known
P.O.#: Customer:	912_2 Hobart, IN	Surveyor: Clean Date:	M. Pielacha		PSR: Shape:	P-705-033-034 C
Street:	Center Street		Flow Control:			
City:	Hobart, IN		Year Renewed	1		
Location:	Light Highway		Tape/Media #:		912	
Purpose:	Routine Assessment		Dia/Height:		8"	
Use:	Sanitary		Material:		PVC	
Drain Area:			Lining:			
Category:	NA					
Comment:						
Location Detai	ls:		Direction of Su	rvey:	Downstream	
US MH:	M-705-34	DS MH:	M-705-33	Tota	al Length Surveyed (ft):	127.2
0&M Index:	0.00	O&M Quick:	00	000	O&M Rating:	0.00
Structural Index:	0.00	– Structural Qu	uick: 00	000	Structural Rating:	0.00
Overall Index:	0.00	Overall Quick		000	Overall Rating:	0.00






Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-705-34


Thursday, May 4, 2023




Code:	MWL
Description:	Water Level
Distance (ft):	0
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	




Code: Description:	TF Tap Factory
Distance (ft):	86.3
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	2
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code:	TF
Description:	Tap Factory
Distance (ft):	104.1
Structural Grade:	0
Structural Graue.	U
O&M Grade:	0
Clock Start/From:	3
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	TF Tap Factory
Distance (ft):	118.1
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	10
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	AMH Manhole
Distance (ft): Structural Grade:	127.2 0
O&M Grade: Clock Start/From:	0
Clock To: 1st Value:	
2nd Value: Value Percent:	
Continuous Index: Within 8" of Joint: Remarks:	NO M-705-33