
Date:	04/14/2018	Weather:		Coding:	PACP 6.0
Pipe Length (ft		Owner:	NA	Pre Clean:	Not Known
P.O.#:		Surveyor:	Jen Costello	PSR:	P-706-008.6-008.3
Customer:		Clean Date:	01/01/1900	Shape:	С
Street:	GARFIELD ST		Flow Control:	Not Controlled	
City:	Hobart, IN		Year Renewed:		
Location:	Light Highway		Tape/Media #:		
Purpose:	Maintenance Rela	ted	Dia/Height:	8"	
Use:	Sanitary		Material:	VCP	
Drain Area:	NA		Lining:	Cured in Place	
Category:	NA				
Comment:	reverse setup.flow	v incorrect. roots	at 41'.		
Location Detail	s:		Direction of Survey	2: Downstream	
US MH:	M-706-008.3	DS MH:	M-706-008.6	Total Length Surveyed (ft)	: 42.4
O&M Index:	1.63	O&M Quick:	3226	O&M Rating:	26.00
Structural Index:	3.88	 Structural Qu	ick: 4731	Structural Rating:	31.00
Overall Index:	2.38	Overall Quick	4700	Overall Rating:	57.00

	Position	Code	Observation	Video (sec)	Grade
M-706-0	08.3				
	.0	AMH	Manhole	10	NA
	.0	MWL	Water Level	21	NA
	1.6	FL	Fracture Longitudinal	36	S 3
	3.5	FM	Fracture Multiple	51	S 4
	3.5	DAZ	Deposits Attached Other	62	M 2
	9.6	RFJ(SO1)	Roots Fine Joint	86	M 1
	11.1	TFD	Tap Factory Defective	100	M 2
	11.1	RFL	Roots Fine Lateral	111	M 1
	13.4	FM(S03)	Fracture Multiple	128	S 4
5	13.4	DAZ(S02)	Deposits Attached Other	139	M 2
ecti	24.9	DAZ(F02)	Deposits Attached Other	173	M 2
Camera Direction	36.8	TFD	Tap Factory Defective	209	M 2
Jera	36.8	RML	Roots Medium Lateral	220	M 3
Car (38.9	TFD	Tap Factory Defective	236	M 2
	38.9	RML	Roots Medium Lateral	247	M 3
	42.4	RFJ(F01)	Roots Fine Joint	265	M 1
+	42.4	FM(F03)	Fracture Multiple	276	S 4
	42.4	MSA	Abandoned Survey	287	NA
M-706-0	08.6				



Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-706-008.3




Code: MWL Description: Water Level

Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	

Code:	FL
Description:	Fracture Longitudinal

Distance (ft):	1.6
Structural Grade:	3
O&M Grade:	0
Clock Start/From:	9
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	YES
Remarks:	



Code: Description:	FM Fracture Multiple
Distance (ft):	3.5
Structural Grade:	4
O&M Grade:	0
Clock Start/From:	8
Clock To:	4


1st Value: 2nd Value: Value Percent: Continuous Index: Within 8" of Joint: YES Remarks:

Clock To:

1st Value: 2nd Value: Value Percent:

Remarks:

Continuous Index: Within 8" of Joint:



Code:	DAZ
Description:	Deposits Attached Other
Distance (ft):	3.5
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	8

9

5.000

YES




Code:	RFJ
Description:	Roots Fine Joint

Distance (ft):	9.6
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	S01
Within 8" of Joint:	YES
Remarks:	




Code:	TFD
Description:	Tap Factory Defective
Distance (ft):	11.1
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	9
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	

Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	ROOTS



Code:RFLDescription:Roots Fine Lateral

Distance (ft):	11.1
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	9
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code:	FM
Description:	Fracture Multiple
Distance (ft):	13.4
Structural Grade:	4
O&M Grade:	0
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	S03
Within 8" of Joint:	YES

Remarks:




Code:DAZDescription:Deposits Attached Other

Distance (ft):	13.4
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	S02
Within 8" of Joint:	YES
Remarks:	

Code:

Description:


Remarks:



Distance (ft):	24.9
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	F02
Within 8" of Joint:	YES

DAZ

Deposits Attached Other




Code:TFDDescription:Tap Factory Defective

Distance (ft):	36.8
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	2
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	ROOTS

Code:


Description:



Distance (ft):	36.8
Structural Grade:	0
O&M Grade:	3
Clock Start/From:	2
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	10.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	


RML

Roots Medium Lateral



Code:TFDDescription:Tap Factory Defective

Distance (ft):	38.9
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	9
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	ROOTS




Code:	RML
Description:	Roots Medium Lateral

Distance (ft):	38.9
Structural Grade:	0
O&M Grade:	3
Clock Start/From:	6
Clock To:	9
1st Value:	
2nd Value:	
Value Percent:	20.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code:	RFJ
Description:	Roots Fine Joint
Distance (ft):	42.4


Distance (ft):	42.4
Structural Grade:	0
O&M Grade:	1
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	F01
Within 8" of Joint:	YES
Remarks:	



Code:	FM
Description:	Fracture Multiple
Distance (ft):	42.4
Structural Grade:	4
O&M Grade:	0
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	

Continuous Index:	F03
Within 8" of Joint:	YES
Remarks:	

Value Percent:



Code: MSA Description: Abandoned Survey

Distance (ft):	42.4
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	ROOTS