Profile/Photo Observation Report



Date: 04/06/2018 Weather: **PACP 6.0** Coding: Pipe Length (ft): 392.2 Owner: NA Pre Clean: **Not Known** P.O.#: Jen Costello PSR: P-708-025-019 Surveyor:

Customer: Clean Date: 01/01/1900 Shape: C

Street: OFF LAKE ST Flow Control: Not Controlled

City: Hobart, IN Year Renewed:
Location: Light Highway Tape/Media #:

Purpose: Maintenance Related Dia/Height: 8"
Use: Sanitary Material: PVC

Drain Area: NA Lining: Cured in Place

Category: NA

Comment:

Location Details: Direction of Survey: **Upstream**

US MH: M-708-025 DS MH: M-708-198 Total Length Surveyed (ft): 172.5

0000 0.00 0.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 0.00 0000 0.00 Overall Rating: Overall Index: Overall Quick:


| 708-198 .0 .0 55.9 99.2 143.7 172.5 | AMH MWL TF TF TFA MSA | Manhole Water Level Tap Factory Tap Factory Tap Factory Active Abandoned Survey | 10 21 145 244 346 415 | NA NA NA NA NA |
|---|-----------------------|---|--------------------------------------|----------------------------|
| .0 .0 55.9 99.2 143.7 | MWL TF TF TFA | Water Level Tap Factory Tap Factory Tap Factory Active | 21 145 244 346 | NA NA NA |
| 55.9 99.2 143.7 | TF TF TFA | Tap Factory Tap Factory Tap Factory Active | 145 244 346 | NA NA NA |
| 99.2 | TFA | Tap Factory Tap Factory Active | 244 346 | NA NA |
| 143.7 | TFA | Tap Factory Active | 346 | NA |
| 11 | | | | |
| 172.5 | MSA | Abandoned Survey | 415 | NA |
| | | | | |
| | | | | |

Code:



| Description: | Manhole |
|---------------------|-----------|
| | |
| | |
| Distance (ft): | .0 |
| Structural Grade: | 0 |
| O&M Grade: | 0 |
| Clock Start/From: | |
| Clock To: | |
| 1st Value: | |
| 2nd Value: | |
| Value Percent: | |
| Continuous Index: | |
| Within 8" of Joint: | NO |
| Remarks: | M-708-198 |
| | |

AMH



Code: MWL

Description: Water Level

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0
Clock Start/From:

Clock To:

1st Value: 2nd Value:

Value Percent:


Continuous Index:

Within 8" of Joint:

Remarks:

5.000

NO



Code: **TF**

Description: Tap Factory


Distance (ft): 55.9
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: **TF**

Description: Tap Factory

Distance (ft): 99.2
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 2


Clock To:

1st Value:

4.000

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: TFA

Description: Tap Factory Active

Distance (ft): 143.7
Structural Grade: 0

O&M Grade: 0


Clock Start/From: 3

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: MSA

Description: Abandoned Survey

Distance (ft): 172.5
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: unknown