
Profile/Ph	oto Observatio	n Report				RedZor
Date:	04/03/2018	Weather:			Coding:	PACP 6.0
Pipe Length (ft): 126.4	Owner:	NA		Pre Clean:	Not Known
P.O.#:		Surveyor:	Jen Costello)	PSR:	P-708-111-110
Customer:		Clean Date	: 01/01/1900)	Shape:	с
Street: BRACKEN PKWY & LINCOLN ST		Flow Control:		Not Controlled		
City:	Hobart, IN		Year Renewe	d:		
Location:	Sidewalk		Tape/Media	#:		
Purpose:	Maintenance Rela	ated	Dia/Height:		8"	
Use:	Sanitary		Material:		PVC	
Drain Area:	NA		Lining:		Cured in Place	
Category:	NA					
Comment:						
Location Detai	ls:		Direction of S	Survey:	Upstream	
US MH:	M-708-111	DS MH:	M-708-110	Тс	otal Length Surveyed (ft)	25.2
O&M Index:	2.00	O&M Quick	:	2200	O&M Rating:	4.00
Structural Index:	0.00	Structural C	uick:	0000	Structural Rating:	0.00
Overall Index:	2.00	Overall Qui	ck:	2200	Overall Rating:	4.00





Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-708-110



Code: Description: MWL


Water Level

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: 30.000 Continuous Index: Within 8" of Joint: NO Remarks:



Code:	DAGS
Description:	Deposits Attached Grease

Distance (ft):	15.3
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	S01
Within 8" of Joint:	NO
Remarks:	



Code:DAGSDescription:Deposits Attached Grease

Distance (ft):	25.2
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	8
Clock To:	4
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	F01
Within 8" of Joint:	NO
Remarks:	

Code:	
Description:	

MSA Abandoned Survey

Distance (ft):	25.2
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	overturned