Profile/Photo Observation Report



Date:03/20/2018Weather:Coding:PACP 6.0Pipe Length (ft):201.0Owner:NAPre Clean:Not KnownP.O.#:Surveyor:John KuglmaierPSR:P-709-005-0

P.O.#: Surveyor: John Kuglmaier PSR: P-709-005-006
Customer: Clean Date: 01/01/1900 Shape: C

Street: BRACKEN PKWY & DUNLIN CT Flow Control: Not Controlled

City: Hobart, IN Year Renewed:

Location: Yard Tape/Media #:

Purpose: Maintenance Related Dia/Height: 10"
Use: Sanitary Material: PVC

Drain Area: **NA** Lining:

Category: NA

Comment:

Location Details: Direction of Survey: Upstream

US MH: M-709-005 DS MH: M-709-006 Total Length Surveyed (ft): 192.7

0000 0.00 0.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Index: Structural Quick: Structural Rating: 0000 0.00 0.00 Overall Index: Overall Rating: Overall Quick:

Position	Code	Observation	Video (sec)	Grade
709-006				
0.	AMH	Manhole	10	NA
0.	MWL	Water Level	21	NA
77.2	TF	Tap Factory	188	NA
162.9	MWL	Water Level	371	NA
192.7	AMH	Manhole	442	NA

Code:



Description:	Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-709-006

AMH



Code: MWL Description: **Water Level**

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent:

Continuous Index:

Within 8" of Joint:

Remarks:

35.000

NO

4.000



Code: TF

Description: **Tap Factory**

Distance (ft): 77.2 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 10

Clock To:

1st Value:

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: MWL

Description: Water Level

Distance (ft): 162.9
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 50.000

Continuous Index:

Within 8" of Joint:

NO

Remarks:



Code: AMH
Description: Manhole

Distance (ft): 192.7
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: NO

Remarks: M-709-005