## **Profile/Photo Observation Report**



Date: 03/21/2018 Weather: **PACP 6.0** Coding: Pipe Length (ft): 77.5 Owner: NA Pre Clean: **Not Known** P.O.#: Surveyor: PSR: P-802-008-068 Selasie Honu

Customer: Clean Date: 01/01/1900 Shape: C

Street: N HOBART RD Flow Control: Not Controlled

City: Hobart, IN Year Renewed: Location: Other Tape/Media #:

Purpose: Not Known Dia/Height: 10"
Use: Sanitary Material: VCP

Drain Area: NA Lining:

Category: NA

Comment:


Location Details: Direction of Survey: **Upstream** 

US MH: M-802-008 DS MH: M-902-068 Total Length Surveyed (ft): 28.2

2.00 2600 12.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 2.00 2600 12.00 Overall Rating: Overall Index: Overall Quick:

Position	Code	Observation	Video (sec)	Grade
02-068				
.0	DAE(S01)	Deposits Attached Encrustation	10	M 2
0.	AMH	Manhole	22	NA
\0	MWL	Water Level	33	NA
28.2	DAE(F01)	Deposits Attached Encrustation	100	M 2
28.2	MSA	Abandoned Survey	112	NA

Code:



Description:	Deposits Attached Encrustation		
Distance (ft):	.0		
Structural Grade:	0		
O&M Grade:	2		
Clock Start/From:	8		
Clock To:	4		
1st Value:			
2nd Value:			
Value Percent:	10.000		
Continuous Index:	S01		
Within 8" of Joint:	NO		
Remarks:			

DAE



Code: AMH
Description: Manhole

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0
Clock Start/From:
Clock To:
1st Value:
2nd Value:
Value Percent:

Continuous Index:
Within 8" of Joint:
NO

Remarks: M-902-068



Code: MWL
Description: Water Level

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0
Clock Start/From:
Clock To:


1st Value:
2nd Value:
Value Percer

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: NO

Remarks:



Code: DAE

Description: Deposits Attached Encrustation

Distance (ft): 28.2
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 8
Clock To: 4
1st Value:


2nd Value:

Value Percent: 10.000
Continuous Index: F01
Within 8" of Joint: NO

Remarks:

Code: MSA

Description: Abandoned Survey



Distance (ft): 28.2 Structural Grade: 0

O&M Grade: **0**Clock Start/From:

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: NO Remarks: DAE