Profile/Photo Observation Report



Date: 04/04/2018 Weather: **PACP 6.0** Coding: Pipe Length (ft): 94.6 Owner: NA Pre Clean: **Not Known** P.O.#: P-803-011-012 Surveyor: Jen Costello PSR:

Customer: Clean Date: 01/01/1900 Shape: C

Street: Rand St. Flow Control: Not Controlled

City: Hobart, IN Year Renewed:
Location: Other Tape/Media #:

Purpose: Not Known Dia/Height: 12"
Use: Sanitary Material: VCP

Drain Area: **NA** Lining:

Category: NA

Comment:

Location Details: Direction of Survey: Upstream

US MH: M-803-012 DS MH: M-803-011 Total Length Surveyed (ft): 86.0

3124 1.86 13.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 1.86 3124 13.00 Overall Quick: Overall Rating: Overall Index:

		Code	Observation	Video (sec)	Grade
803 -)01:	1				
	.0	AMH	Manhole	10	NA
	.0	MWL	Water Level	22	NA
/	.0	DSF(S01)	Deposits Settled Fine	33	M 2
	10.9	DSF(F01)	Deposits Settled Fine	66	M 2
	12.1	TFA	Tap Factory Active	81	NA
/	12.1	DAR	Deposits Attached Ragging	93	M 2
Ш	30.3	TF	Tap Factory	144	NA
	53.0	RFJ	Roots Fine Joint	202	M 1
	59.1	RFJ	Roots Fine Joint	226	M 1
	67.9	DAZ	Deposits Attached Other	255	M 2
	74.0	RMJ	Roots Medium Joint	278	M 3
	86.0	MWL	Water Level	314	NA
	86.0	MSA	Abandoned Survey	325	NA
	2				

Code:



Description:	Manhole
(6)	_
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-803-011

AMH



Code: MWL Description: **Water Level**

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent:

Continuous Index:

Within 8" of Joint:

Remarks:

0.000

NO



Code: **DSF**

Description: **Deposits Settled Fine**

Distance (ft): .0 Structural Grade: 0 O&M Grade: 2 Clock Start/From: 5 Clock To: 7 1st Value: 2nd Value:

Value Percent: 5.000 Continuous Index: **S01** Within 8" of Joint: NO



Code: **DSF**

Description: Deposits Settled Fine

Distance (ft): 10.9
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 5
Clock To: 7
1st Value:

1st Value: 2nd Value:

Value Percent: 5.000
Continuous Index: F01
Within 8" of Joint: NO

Remarks:

Code: TFA

Description: Tap Factory Active



Distance (ft): 12.1
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 10

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Code: DAR

Description: Deposits Attached Ragging

Distance (ft): 12.1
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 10

Clock To: 1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: **TF**

Description: Tap Factory

Distance (ft): 30.3
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 10

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 53.0
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 8
Clock To: 9

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: RFJ

Description: Roots Fine Joint

Distance (ft): 59.1
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 8
Clock To: 9
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: YES



Code: DAZ

Description: Deposits Attached Other

Distance (ft): 67.9
Structural Grade: 0

O&M Grade: 2

Clock Start/From: 8

Clock To: 9

1st Value:

2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

YES

Remarks:



Code: RMJ

Description: Roots Medium Joint

Distance (ft): 74.0
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 8
Clock To: 4
1st Value:
2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: YES



Code: MWL

Description: Water Level

Distance (ft): 86.0 Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 30.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: MSA

Description: Abandoned Survey

Distance (ft): 86.0
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: NO

Remarks: UNKNOWN