## **Profile/Photo Observation Report**



 Date:
 03/28/2018
 Weather:
 Coding:
 PACP 6.0

 Pipe Length (ft):
 227.6
 Owner:
 NA
 Pre Clean:
 Not Known

 P.O.#:
 Surveyor:
 Selasie Honu
 PSR:
 P-803-035-036

P.O.#: Surveyor: Selasie Honu PSR: P-803
Customer: Clean Date: 01/01/1900 Shape: C

Street: ALLEY BETWEEN N INDIANA ST & N Flow Control: Not Controlled

City: Hobart, IN Year Renewed:
Location: Other Tape/Media #:

Purpose: Not Known Dia/Height: 10"
Use: Sanitary Material: VCP

Drain Area: **NA** Lining:

Category: NA

Comment:

Location Details: Direction of Survey: Upstream

US MH: M-803-036 DS MH: M-803-035 Total Length Surveyed (ft): 222.3

3E23 2.51 108.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 2.51 3E23 108.00 Overall Quick: Overall Rating: Overall Index:

	Position	Code	Observation	Video (sec)	Grade
303	035				
	0. /	AMH	Manhole	10	NA
п	\0	MWL	Water Level	21	NA
ш	21.6	RFJ	Roots Fine Joint	76	M 1
	24.0	TF	Tap Factory	94	NA
	24.1	RFJ	Roots Fine Joint	107	M 1
	27.4	RMJ	Roots Medium Joint	125	M 3
	32.3	RFJ	Roots Fine Joint	147	M 1
	34.1	TFD	Tap Factory Defective	164	M 2
	34.1	RML	Roots Medium Lateral	175	M 3
	34.2	RMJ	Roots Medium Joint	189	M 3
	37.7	RFJ	Roots Fine Joint	207	M 1
ш	38.8	DAR	Deposits Attached Ragging	222	M 2
	45.5	RFJ	Roots Fine Joint	247	M 1
	49.4	RMJ	Roots Medium Joint	267	M 3
ш	52.6	RFJ	Roots Fine Joint	285	M 1
	62.4	RMJ(S03)	Roots Medium Joint	315	M 3
	65.9	RFJ	Roots Fine Joint	334	M 1
	67.8	TBD	Tap Break-in Defective	351	M 3
П	67.8	RML	Roots Medium Lateral	362	M 3
	81.5	ТВ	Tap Break-in	405	NA
	86.3	RMJ(F03)	Roots Medium Joint	427	M 3
П	104.5	TF	Tap Factory	476	NA
п	106.5	TF	Tap Factory	495	NA
П	110.7	RFB	Roots Fine Barrel	516	M 2
П	110.7	RFJ	Roots Fine Joint	527	M 1
П	118.2	RFJ	Roots Fine Joint	554	M 1
	126.7	RMJ	Roots Medium Joint	582	M 3
П	129.7	RMJ(S02)	Roots Medium Joint	600	M 3
П	137.0	TF	Tap Factory	628	NA
	\\_178.5	TF	Tap Factory	725	NA
	198.7	TF	Tap Factory	780	NA
	222.3	RMJ(F02)	Roots Medium Joint	840	M 3
	222.3	AMH	Manhole	851	NA



Code: AMH
Description: Manhole

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks: M-803-035

NO



Code: MWL

Description: Water Level

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0

Clock Start/From: Clock To:

1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint: NO



Description: Roots Fine Joint

Distance (ft): 21.6
Structural Grade: 0

O&M Grade: 1

Clock Start/From: 2


Clock To: 10

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **TF** 


Description: Tap Factory

Distance (ft): 24.0
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Description: Roots Fine Joint

Distance (ft): 24.1
Structural Grade: 0

O&M Grade: 1

Clock Start/From: 10

Clock To: 2

1st Value: 2

2nd Value: Value Percent:

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: RMJ


Description: Roots Medium Joint

Distance (ft): 27.4
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 8
Clock To: 4
1st Value:
2nd Value:

Value Percent: 10.000

Continuous Index:

Within 8" of Joint: YES



Description: Roots Fine Joint

Distance (ft): 32.3
Structural Grade: 0

O&M Grade: 1

Clock Start/From: 10

Clock To: 5


1st Value:

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **TFD** 

Description: Tap Factory Defective

Distance (ft): 34.1
Structural Grade: 0

O&M Grade: 2


Clock Start/From: 9

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks: roots



Code: RML

Description: Roots Medium Lateral

Distance (ft): 34.1
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 9

Clock To: 1st Value: 2nd Value:


Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: RMJ

Description: Roots Medium Joint

Distance (ft): 34.2
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 8
Clock To: 4
1st Value:
2nd Value:

Value Percent: 15.000

Continuous Index:

Within 8" of Joint: YES



Description: Roots Fine Joint


Distance (ft): 37.7
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 12
Clock To: 1
1st Value:
2nd Value:

Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: DAR

Description: Deposits Attached Ragging

Distance (ft): 38.8
Structural Grade: 0

O&M Grade: 2
Clock Start/From: 12
Clock To: 1


1st Value:

2nd Value:

Value Percent: 10.000

Continuous Index:

Within 8" of Joint: YES



Description: Roots Fine Joint


Distance (ft): 45.5
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 10
Clock To: 5
1st Value:

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: RMJ

Description: Roots Medium Joint

Distance (ft): 49.4
Structural Grade: 0

O&M Grade: 3

Clock Start/From: 7

Clock To: 5

1st Value:

Value Percent: 10.000

Continuous Index:

Within 8" of Joint: YES

Remarks:

2nd Value:



Description: Roots Fine Joint

Distance (ft): 52.6
Structural Grade: 0

O&M Grade: 1

Clock Start/From: 9

Clock To: 2

1st Value:

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: RMJ

Description: Roots Medium Joint

Distance (ft): 62.4
Structural Grade: 0

O&M Grade: 3

Clock Start/From: 8

Clock To: 4

1st Value:

Value Percent: 10.000
Continuous Index: \$03
Within 8" of Joint: YES

Remarks:

2nd Value:



Description: Roots Fine Joint

Distance (ft): 65.9
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 1
Clock To: 5

1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: **TBD** 

Description: Tap Break-in Defective

Distance (ft): 67.8
Structural Grade: 0

O&M Grade: 3

Clock Start/From: 10

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks: roots



Code: RML

Description: Roots Medium Lateral

Distance (ft): 67.8
Structural Grade: 0

O&M Grade: 3

Clock Start/From: 10

Clock To: 1st Value: 2nd Value:


Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: TB

Description: Tap Break-in

Distance (ft): 81.5
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 2

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO



Code: RMJ

Description: Roots Medium Joint

Distance (ft): 86.3
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 8
Clock To: 4
1st Value:


2nd Value:

Value Percent: 10.000
Continuous Index: F03
Within 8" of Joint: YES

Remarks:

Code: **TF** 

Description: Tap Factory



Distance (ft): 104.5
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Code: **TF** 

Description: Tap Factory

Distance (ft): 106.5
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 9

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:




Code: RFB

Description: Roots Fine Barrel

Distance (ft): 110.7
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 8
Clock To:
1st Value:

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO



Description: Roots Fine Joint

Distance (ft): 110.7
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 12

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:

YES




Code: RFJ

Description: Roots Fine Joint

Distance (ft): 118.2
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 3
Clock To: 9
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: YES



Code: RMJ

Description: Roots Medium Joint

Distance (ft): 126.7
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 7
Clock To: 5
1st Value:

2nd Value:

Value Percent: 10.000

Continuous Index:

Within 8" of Joint:

Remarks:

YES



Code: RMJ


Description: Roots Medium Joint

Distance (ft): 129.7
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 5
Clock To: 5
1st Value:

Value Percent: 15.000
Continuous Index: S02
Within 8" of Joint: YES

Remarks:

2nd Value:



Code: **TF** 

Description: Tap Factory

Distance (ft): 137.0
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: **TF** 


Description: Tap Factory

Distance (ft): 178.5
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 9

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Code: **TF** 

Description: Tap Factory

Distance (ft): 198.7
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:

Code: RMJ


Description: Roots Medium Joint



Distance (ft): 222.3
Structural Grade: 0
O&M Grade: 3
Clock Start/From: 5
Clock To: 5

1st Value: 2nd Value:

Value Percent: 15.000
Continuous Index: F02
Within 8" of Joint: YES



Code: AMH
Description: Manhole

Distance (ft): 222.3
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: M-803-036