## **Profile/Photo Observation Report**



Date: 04/07/2018 Weather: **PACP 6.0** Coding: Pipe Length (ft): 266.3 Owner: NA Pre Clean: **Not Known** P.O.#: **Mark Ruby** PSR: P-804-049-048 Surveyor:

Customer: Clean Date: 01/01/1900 Shape: C

Street: N OHIO ST Flow Control: Not Controlled

City: Hobart, IN Year Renewed:
Location: Other Tape/Media #:

Purpose: Not Known Dia/Height: 10"
Use: Sanitary Material: VCP

Drain Area: NA Lining:

Category: NA

Comment:

Location Details: Direction of Survey: **Downstream** 

US MH: M-804-048 DS MH: M-804-049 Total Length Surveyed (ft): 114.9

0000 0.00 0.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 0.00 0000 0.00 Overall Rating: Overall Index: Overall Quick:

804-048 .0 .0 5.2 23.7 37.4 71.8 81.7 114.9	AMH MWL TB TF TF TF MSA	Manhole Water Level Tap Break-in Tap Factory Tap Factory Tap Factory Tap Factory Abandoned Survey	10 21 45 96 139 223 258 340	NA NA NA NA NA NA NA
.0 .0 5.2 23.7 37.4 71.8 81.7	MWL TB TF TF TF	Water Level Tap Break-in Tap Factory Tap Factory Tap Factory Tap Factory	21 45 96 139 223 258	NA NA NA NA NA
5.2 23.7 37.4 71.8 81.7	TB TF TF TF	Tap Break-in Tap Factory Tap Factory Tap Factory Tap Factory	45 96 139 223 258	NA NA NA NA
23.7 37.4 71.8 81.7	TF TF TF	Tap Factory Tap Factory Tap Factory Tap Factory	96 139 223 258	NA NA NA
37.4 71.8 81.7	TF TF	Tap Factory Tap Factory Tap Factory	139 223 258	NA NA NA
71.8	TF TF	Tap Factory Tap Factory	223 258	NA NA
81.7	TF	Tap Factory	258	NA
1 1				
114.9	MSA	Abandoned Survey	340	NA

Code:



Description:	Manhole	
Distance (ft):	.0	
Structural Grade:	0	
O&M Grade:	0	
Clock Start/From:		
Clock To:		
1st Value:		
2nd Value:		
Value Percent:		
Continuous Index:		
Within 8" of Joint:	NO	
Remarks:	M-804-048	

AMH



Code: MWL

Description: **Water Level** 

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent:

Continuous Index:

Within 8" of Joint:

Remarks:

10.000

NO

Code: TB

Description: Tap Break-in




Distance (ft): 5.2 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 11

Clock To:

Remarks:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Code: TF

Description: **Tap Factory** 

Distance (ft): 23.7 Structural Grade: 0 0 O&M Grade: Clock Start/From: 9

Clock To:

1st Value: 4.000

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



TF Code:

Description: **Tap Factory** 

Distance (ft): 37.4 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 3

Clock To:

4.000 1st Value:

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: **TF** 

Description: Tap Factory


Distance (ft): 71.8
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 4

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: **TF** 

Description: Tap Factory

Distance (ft): 81.7
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 8

Clock To:

1st Value: **4.000** 

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks:



Code: MSA

Description: Abandoned Survey

Distance (ft): 114.9
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: No blockage