
Profile/Ph	oto Observatio	n Report				RedZon
Date:	03/22/2018	Weather:			Coding:	PACP 6.0
Pipe Length (ft): 128.4	Owner:	NA		Pre Clean:	Not Known
P.O.#:		Surveyor:	Selasi	e Honu	PSR:	P-809-029-030
Customer:		Clean Date	e: 01/01	/1900	Shape:	C
Street:	Oak		Flow Co	ntrol:	Not Controlled	
City:	Hobart, IN		Year Re	newed:		
Location:	Yard		Tape/N	edia #:		
Purpose:	Maintenance Rela	ated	Dia/Hei	ght:	8"	
Use:	Sanitary		Materia	l:	PVC	
Drain Area:	NA		Lining:			
Category:	NA					
Comment:						
Location Detai	ls:		Directio	n of Survey:	Downstream	
US MH:	M-809-030	DS MH:	M-809-02	9	Total Length Surveyed (ft)	: 126.5
0&M Index:	0.00	O&M Quick	::	0000	O&M Rating:	0.00
tructural Index	0.00	Structural C	Quick:	0000	Structural Rating:	0.00
Overall Index:	0.00	Overall Qui		0000	Overall Rating:	0.00






Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-809-030




Code: MWL Description: Water Level

Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	TFA Tap Factory Active
Distance (ft):	50.2
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	10
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	TF
Description:	Tap Factory

Distance (ft):	118.8
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	10
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	AMH
Description:	Manhole

126.5
0
0
NO
M-809-029