Profile/Photo Observation Report



Date: 03/20/2018 Weather: **PACP 6.0** Coding: Pipe Length (ft): 103.0 Owner: NA Pre Clean: **Not Known** P.O.#: John Kuglmaier PSR: P-809-039-036

Customer: 01/01/1900 Clean Date: Shape:

Oak Flow Control: **Not Controlled** Street:

Surveyor:

Hobart, IN City: Year Renewed: Sidewalk Tape/Media #: Location:

Purpose: **Maintenance Related** Dia/Height: 8" **PVC** Use: Sanitary Material:

NA Lining: Drain Area:

NA Category:

Comment:

Location Details: Direction of Survey: **Downstream**

US MH: M-809-039 M-709-036 Total Length Surveyed (ft): DS MH: 100.7

0000 0.00 0.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 0.00 0000 0.00 Overall Rating: Overall Index: Overall Quick:

	Position	Code	Observation	Video (sec)	Grade
M(809-03	39				
	.0	АМН	Manhole	10	NA
	0.	MWL	Water Level	21	NA
-	50.9	TF	Tap Factory	135	NA
-	100.7	AMH	Manhole	246	NA
M-709-03	36				

Code:



Description:	Manhole		
Distance (ft):	.0		
Structural Grade:	0		
O&M Grade:	0		
Clock Start/From:			
Clock To:			
1st Value:			
2nd Value:			
Value Percent:			
Continuous Index:			
Within 8" of Joint:	NO		
Remarks:	M-809-039		

AMH



Code: MWL

Description: Water Level

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0
Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: **TF**

Description: Tap Factory

Distance (ft): 50.9
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 10

Clock To:

Remarks:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Code: AMH
Description: Manhole

Distance (ft): 100.7
Structural Grade: 0
O&M Grade: 0

Clock Start/From: Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: M-709-036