Profile/Photo Observation Report



Date: 03/20/2018 Weather: Coding: PACP 6.0

Pipe Length (ft): 87.2 Owner: NA Pre Clean: Not Known

P.O.#: Surveyor: **John Kuglmaier** PSR: **P-809-041-040**

Customer: Clean Date: 01/01/1900 Shape: C

Street: Oak Flow Control: Not Controlled
City: Hobart, IN Year Renewed:

Location: Sidewalk Tape/Media #:

Purpose: Maintenance Related Dia/Height: 8"
Use: Sanitary Material: PVC

Drain Area: NA Lining: Category: NA

Category: NA

Comment: Reverse setup. mh, flow direction is wrong.

Location Details: Direction of Survey: **Upstream**

US MH: M-809-040 DS MH: M-809-041 Total Length Surveyed (ft): 84.9

0000 0.00 0.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 0.00 0000 0.00 Overall Index: Overall Quick: Overall Rating:

•	Position	Code	Observation	Video (sec)	Grade
809-041					
).		AMH	Manhole	10	NA
).()	MWL	Water Level	21	NA
	3.0	TF	Tap Factory	60	NA
$\sqrt{1}$	3.9	TF	Tap Factory	75	NA
6	8.6	MWL	Water Level	196	NA
6	9.5	TF	Tap Factory	210	NA
7	1.3	MWL	Water Level	225	NA
8	4.9	AMH	Manhole	264	NA
ш					

Code:



Description:	Manhole
Distance (ft):	.0
` '	-
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-809-041

AMH



Code: MWL

Description: **Water Level**

Distance (ft): .0 Structural Grade: 0 O&M Grade: 0 Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent:

Continuous Index:

Within 8" of Joint: NO

10.000

4.000

Remarks:



Code: TF

Description: **Tap Factory**

Distance (ft): 13.0 Structural Grade: 0 O&M Grade: 0 Clock Start/From: 10

1st Value: 2nd Value: Value Percent:

Continuous Index: Within 8" of Joint:

Remarks:

Clock To:



Code: **TF**

Description: Tap Factory

Distance (ft): 13.9
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 1

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Description: Water Level



Distance (ft): 68.6
Structural Grade: 0

O&M Grade: 0

Clock Start/From: Clock To:


1st Value: 2nd Value:

Value Percent: 20.000

Continuous Index:

Within 8" of Joint: NO

Remarks:



Code: **TF**

Description: Tap Factory

Distance (ft): 69.5
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 11

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: MWL

Description: Water Level

Distance (ft): 71.3
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: **35.000**

Continuous Index:

Within 8" of Joint: NO

Remarks:



Code: AMH
Description: Manhole

Distance (ft): 84.9
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: M-809-040