

Profile/Photo Observation Report



Date:	05/07/2018	Weather:		Coding:	PACP 4.2
Pipe Length (ft):	150.0	Owner:	City of Hobart	Pre Clean:	No Pre-Cleaning
P.O.#:	2004	Surveyor:	SAN	PSR:	P-904-010-041
Customer:	Red Zone	Clean Date:		Shape:	C

Street:	144 Fraser Ln	Flow Control:	Not Controlled
City:	Hobart In	Year Renewed:	
Location:	Easement/Right of Way	Tape/Media #:	Deliverable 1
Purpose:	Routine Assessment	Dia/Height:	18"
Use:	Sanitary	Material:	VCP
Drain Area:	Northeast	Lining:	
Category:	NA		
Comment:	455-1/Incomplete due to debris/No reverse due to covered manhole 010.		
Location Details:	Backyards	Direction of Survey:	Upstream
US MH:	M-904-010	DS MH:	M-904-041
		Total Length Surveyed (ft):	127.2

O&M Index:	3.10	O&M Quick:	4139	O&M Rating:	31.00
Structural Index:	2.00	Structural Quick:	2900	Structural Rating:	18.00
Overall Index:	2.58	Overall Quick:	4139	Overall Rating:	49.00

	Position	Code	Observation	Video (sec)	Grade
	.0	AMH	Manhole	10	NA
	.0	MWL	Water Level	22	NA
	80.8	MWLS(S01)	Water Level Sag	202	S 2
	92.9	MWL	Water Level	227	NA
	112.7	MWL	Water Level	307	NA
	124.8	DSF	Deposits Settled Fine	450	M 4
	127.2	MGO	General Observation	574	NA
	127.2	MWLS(F01)	Water Level Sag	655	S 2
	127.2	MSA	Abandoned Survey	695	NA



Code:	AMH
Description:	Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-904-041



Code: **MWL**
Description: **Water Level**

Distance (ft): **.0**
Structural Grade: **0**
O&M Grade: **0**
Clock Start/From:
Clock To:
1st Value:
2nd Value:
Value Percent: **10.000**
Continuous Index:
Within 8" of Joint: **NO**
Remarks:



Code: **MWLS**
Description: **Water Level Sag**

Distance (ft): **80.8**
Structural Grade: **2**
O&M Grade: **3**
Clock Start/From:
Clock To:
1st Value:
2nd Value:
Value Percent: **20.000**
Continuous Index: **S01**
Within 8" of Joint: **NO**
Remarks:



Code:	MWL
Description:	Water Level
Distance (ft):	92.9
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	35.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code:	MWL
Description:	Water Level
Distance (ft):	112.7
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	40.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: **DSF**
Description: **Deposits Settled Fine**

Distance (ft): **124.8**
Structural Grade: **0**
O&M Grade: **4**
Clock Start/From: **5**
Clock To: **7**
1st Value:
2nd Value:
Value Percent: **30.000**
Continuous Index:
Within 8" of Joint: **NO**
Remarks:



Code: **MGO**
Description: **General Observation**

Distance (ft): **127.2**
Structural Grade: **0**
O&M Grade: **0**
Clock Start/From:
Clock To:
1st Value:
2nd Value:
Value Percent:
Continuous Index:
Within 8" of Joint: **NO**
Remarks: **camera will not pass thru debris**



Code: **MWLS**
 Description: **Water Level Sag**

Distance (ft): **127.2**
 Structural Grade: **2**
 O&M Grade: **3**
 Clock Start/From:
 Clock To:
 1st Value:
 2nd Value:
 Value Percent: **20.000**
 Continuous Index: **F01**
 Within 8" of Joint: **NO**
 Remarks:



Code: **MSA**
 Description: **Abandoned Survey**

Distance (ft): **127.2**
 Structural Grade: **0**
 O&M Grade: **0**
 Clock Start/From:
 Clock To:
 1st Value:
 2nd Value:
 Value Percent:
 Continuous Index:
 Within 8" of Joint: **NO**
 Remarks: **no reverse due to covered manhole**