Profile/Photo Observation Report



Date: 04/16/2018 Weather: **PACP 6.0** Coding: Pipe Length (ft): 283.5 Owner: NA Pre Clean: **Not Known** P.O.#: PSR: P-904-020-019 Surveyor: Selasie Honu

Customer: Clean Date: 01/01/1900 Shape: C

Street: FRASER LN Flow Control: Not Controlled

City: Hobart, IN Year Renewed:
Location: Other Tape/Media #:

Purpose: Not Known Dia/Height: 10"
Use: Sanitary Material: VCP

Drain Area: NA Lining:

Category: NA

Comment:

Location Details: Direction of Survey: Downstream

US MH: M-904-019 DS MH: M-904-020 Total Length Surveyed (ft): 126.3

2.38 19.00 O&M Index: O&M Quick: O&M Rating: 0.00 0000 0.00 Structural Quick: Structural Rating: Structural Index: 2.38 19.00 Overall Quick: Overall Rating: Overall Index:

Position	Code	Observation	Video (sec)	Grade
004-019				
0.	DAGS(S01)	Deposits Attached Grease	10	M 2
0.	AMH	Manhole	22	NA
\.0	MWL	Water Level	33	NA
14.0	TFA	Tap Factory Active	72	NA
26.3	DAGS(F01)	Deposits Attached Grease	109	M 2
37.4	MWL	Water Level	142	NA
60.9	TF	Tap Factory	201	NA
60.9	MWL	Water Level	213	NA
106.1	RFJ	Roots Fine Joint	315	M 1
115.1	RMB	Roots Medium Barrel	344	M 4
125.3	RBJ	Roots Ball Joint	376	M 4
126.3	MSA	Abandoned Survey	390	NA
120.5	Wish	Asanaonea survey	350	

Code:



Description:	Deposits Attached Grease		
Distance (ft):	.0		
Structural Grade:	0		
O&M Grade:	2		
Clock Start/From:	8		
Clock To:	4		
1st Value:			
2nd Value:			
Value Percent:	5.000		
Continuous Index:	S01		
Within 8" of Joint:	NO		
Remarks:			

DAGS



Code: AMH
Description: Manhole

Distance (ft): .0
Structural Grade: 0
O&M Grade: 0
Clock Start/From:
Clock To:
1st Value:

2nd Value: Value Percent: Continuous Index:

Within 8" of Joint: NO

Remarks: M-904-019



Code: MWL
Description: Water Level


Distance (ft): .0
Structural Grade: 0
O&M Grade: 0
Clock Start/From:
Clock To:

Clock To: 1st Value: 2nd Value:

Value Percent: 40.000

Continuous Index:

Within 8" of Joint: NO



Code: TFA

Description: Tap Factory Active

Distance (ft): 14.0
Structural Grade: 0
O&M Grade: 0
Clock Start/From: 3


Clock To:

1st Value:

4.000

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:



Code: DAGS

Description: Deposits Attached Grease

Distance (ft): 26.3
Structural Grade: 0
O&M Grade: 2
Clock Start/From: 8
Clock To: 4
1st Value:

Value Percent: 5.000
Continuous Index: F01
Within 8" of Joint: NO

Remarks:

2nd Value:



Code: MWL
Description: Water Level

Distance (ft): 37.4
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:


Value Percent: 5.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: **TF**

Description: Tap Factory

Distance (ft): 60.9
Structural Grade: 0

O&M Grade: 0

Clock Start/From: 9

Clock To:

1st Value: **4.000**

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:



Code: MWL

Description: Water Level

Distance (ft): 60.9
Structural Grade: 0

O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value:

Value Percent: 20.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO




Code: RFJ

Description: Roots Fine Joint

Distance (ft): 106.1
Structural Grade: 0
O&M Grade: 1
Clock Start/From: 7
Clock To: 5
1st Value:
2nd Value:
Value Percent:
Continuous Index:

Within 8" of Joint: YES



Code: RMB

Description: Roots Medium Barrel

Distance (ft): 115.1
Structural Grade: 0
O&M Grade: 4
Clock Start/From: 6
Clock To: 9

1st Value: 2nd Value:

Value Percent: 20.000

Continuous Index:

Within 8" of Joint:

Remarks:

NO



Code: RBJ


Description: Roots Ball Joint

Distance (ft): 125.3
Structural Grade: 0
O&M Grade: 4
Clock Start/From: 7
Clock To: 5
1st Value:
2nd Value:

Value Percent: 80.000

Continuous Index:

Within 8" of Joint: YES



Code: MSA

Description: Abandoned Survey

Distance (ft): 126.3
Structural Grade: 0
O&M Grade: 0

Clock Start/From:

Clock To: 1st Value: 2nd Value: Value Percent: Continuous Index:

Within 8" of Joint:

Remarks: ROOT INFILRATION

NO