
Profile/Ph	oto Observation	Report				RedZone
Date:	04/16/2018	Weather:			Coding:	PACP 6.0
Pipe Length (ft): 173.9	Owner:	NA		Pre Clean:	Not Known
P.O.#:		Surveyor:	Selasie Hor	u	PSR:	P-904-028-029
Customer:		Clean Date:	01/01/190)	Shape:	С
Street:	Cleveland Terr.		Flow Control	:	Not Controlled	
City:	Hobart, IN		Year Renewe	d:		
Location:	Other		Tape/Media	#:		
Purpose:	Not Known		Dia/Height:		10"	
Use:	Sanitary		Material:		VCP	
Drain Area:	NA		Lining:			
Category:	NA					
Comment:						
Location Detail	ls:		Direction of S	Survey:	Downstream	
US MH:	M-904-029	DS MH:	M-904-028	Т	otal Length Surveyed (ft):	5.2
0&M Index:	2.00	O&M Quick:		2100	O&M Rating:	2.00
tructural Index:	0.00	Structural Qu	lick:	0000	 Structural Rating:	0.00
Overall Index:	2.00	Overall Quick	<:	2100	Overall Rating:	2.00






Code: Description:	AMH Manhole
Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	M-904-029



Code: MWL Description: Water Level

Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	5.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	DSZ Deposits Settled Other
Distance (ft):	2.2
Structural Grade:	0
O&M Grade:	2
Clock Start/From:	6
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	10.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	mixed material



Code: Description:	TF Tap Factory
Distance (ft):	5.2
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	9
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	MSA
Description:	Abandoned Survey
Distance (ft):	5.2
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	camera stopped by mixed material