
Profile/Ph	oto Observatio	n Report			RedZone [®]
Date: Pipe Length (ft) P.O.#: Customer:	04/06/2018): 107.3	Weather: Owner: Surveyor: Clean Date:	NA Mark Ruby	Coding: Pre Clean: PSR: Shane:	PACP 6.0 Not Known P-904-039-040
Street: City:	Brandt Pl. Hobart, IN Other	Clean Date.	01/01/1900 Flow Control: Year Renewed: Tape/Media #:	Shape: Not Controlle	C ed
Purpose: Use: Drain Area:	Not Known Sanitary NA		Dia/Height: Material: Lining:	10" VCP	
Category: Comment: Location Detail	NA NULL - CNL - REV	- NULL - CNL	-	vev: Downstream	
US MH:	M-904-039	DS MH:	Direction of Sur M-904-041	Total Length Surveyed (
O&M Index:	0.00	O&M Quick:	000	00O&M Rating:	0.00
Structural Index: Overall Index:	0.00	Structural Qu			g: 0.00





Code:	АМН	
Description:	Manhole	
Distance (ft):	.0	
Structural Grade:	0	
O&M Grade:	0	
Clock Start/From:		
Clock To:		
1st Value:		
2nd Value:		
Value Percent:		
Continuous Index:		
Within 8" of Joint:	NO	
Remarks:	M-904-039	



Code: MWL Description: Water Level


Distance (ft):	.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	
2nd Value:	
Value Percent:	10.000
Continuous Index:	
Within 8" of Joint:	NO
Remarks:	



Code: Description:	TB Tap Break-in
Distance (ft):	23.0
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	12
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code:	ТВ
Description:	Tap Break-in
Distance (ft):	74.6
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	10
Clock To:	
1st Value:	4.000
2nd Value:	
Value Percent:	
Continuous Index:	
Within 8" of Joint:	
Remarks:	



Code: Description:	TF Tap Factory
Distance (ft): Structural Grade:	76.7 0
O&M Grade: Clock Start/From:	0 3
Clock To:	-
1st Value: 2nd Value:	4.000
Value Percent:	
Continuous Index: Within 8" of Joint:	
Remarks:	



Code: Description:	AMH Manhole
Distance (ft):	99.5
Structural Grade:	0
O&M Grade:	0
Clock Start/From:	
Clock To:	
1st Value:	

2nd Value: Value Percent: Continuous Index: Within 8" of Joint:

Remarks:

NO M-904-041